



# CFP2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Hewlett-Packard Company  
HP 9000 Model N4000

SPECfp\_rate2000 = 7.84

SPECfp\_rate\_base2000 = 7.25

SPEC license #: 3 Tested by: HP Richardson, TX Test date: Mar-2000 Hardware Avail: Apr-2000 Software Avail: Apr-2000

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
168.wupwise	2	595	6.24	2	435	8.53
171.swim	2	759	9.48	2	711	10.1
172.mgrid	2	502	8.32	2	502	8.33
173.applu	2	519	9.38	2	517	9.43
177.mesa	2	480	6.76	2	480	6.76
178.galgel	2	676	9.96	2	679	9.90
179.art	2	812	7.43	2	642	9.39
183.equake	2	619	4.87	2	455	6.63
187.facerec	2	813	5.42	2	776	5.68
188.amp	2	639	7.99	2	587	8.69
189.lucas	2	734	6.32	2	734	6.32
191.fma3d	2	898	5.43	2	897	5.43
200.sixtrack	2	376	6.78	2	355	7.18
301.apsi	2	620	9.73	2	622	9.69

### Hardware

CPU: 552 MHz PA-RISC 8600  
 CPU MHz: 552  
 FPU: Integrated  
 CPU(s) enabled: 2 cores, 2 chips, 1 core/chip  
 CPU(s) orderable: 1-8  
 Parallel: --  
 Primary Cache: 512KBI+1MBD (on chip)  
 Secondary Cache: None  
 L3 Cache: None  
 Other Cache: None  
 Memory: 8GB  
 Disk Subsystem: 1x9GB FC 10,000 rpm  
 Other Hardware: --

### Software

Operating System: HP-UX B.11.00  
 Compiler: HP92453-01 A.11.01.02 HP C Compiler  
 HP-UX f90 19990722 (140507) B.11.01.08  
 HP-UX f77 971027 (162928) B.11.00.01  
 File System: HP-UX VxFS  
 System State: Multi-user

## Notes/Tuning Information

### Portability flags:

cc: -Ae  
 168.wupwise: -K  
 178.galgel: +source=fixed

### Base Flags:

f90: +O3 +Onofltacc -Wl,-a,archive -Wl,+FPD  
 cc: +Oall +Odataprefetch -Wl,-a,archive +I/+P

### Peak flags:

168.wupwise: f77 +DA2.0 +DS2.0 +O4 +Odataprefetch +Onofltacc  
 171.swim: f77 +DA2.0 +DS2.0 +O4 +Odataprefetch +Ocacheypadcommon +Oloop\_unroll  
 172.mgrid: +O3 +Odataprefetch +Onofltacc -Wl,+FPD -Wl,-a,archive  
 173.applu: +O3 +Odataprefetch +Onofltacc -Wl,+FPD -Wl,-a,archive  
 177.mesa: +I/+P +Oall +Odataprefetch -Wl,+FPD -Wl,-a,archive  
 178.galgel: +O3 +Odataprefetch +Onofltacc -Wl,+FPD -Wl,-a,archive  
 179.art: +Oall +Odataprefetch +Onofltacc +Optrs\_strongly\_typed -Wl,+FPD -Wl,-a,archive +I/+P



# CFP2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Hewlett-Packard Company  
HP 9000 Model N4000

SPECfp\_rate2000 = 7.84  
SPECfp\_rate\_base2000 = 7.25

SPEC license #: 3 Tested by: HP Richardson, TX Test date: Mar-2000 Hardware Avail: Apr-2000 Software Avail: Apr-2000

## Notes/Tuning Information (Continued)

```
183.quake: +Oall +Odataprefetch +Optrs_strongly_typed
187.facerec: +O2 +Ofastaccess +Omultiprocessor -Wl,+FPD -Wl,-a,archive -Wl,/opt/langtools/lib/fastmem.o
188.ammp: +Oall +Odataprefetch +Optrs_strongly_typed +I/+P
189.lucas: +O3 +Odataprefetch +Onofltacc +Omultiprocessor
191.fma3d: +O3 +Odataprefetch +Onofltacc -Wl,+FPD -Wl,-a,archive
200.sixtrack: f90 +Oall +Ofastaccess +Oloop_block +Omultiprocessor +Onofltacc
             LIBS = -Wl,+FPD -Wl,-a,archive -Wl,/opt/langtools/lib/fastmem.o
301.apsi: +O3 +Odataprefetch +Onofltacc -Wl,+FPD -Wl,-a,archive
Kernel Tunables:
vps_pagesize=256, vps_ceiling=256
```