



CFP2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Intel Corporation

Intel D850MD motherboard (1.8 GHz, Pentium 4 processor)

SPECfp2000 = 679

SPECfp_base2000 = 667

SPEC license #: 13 Tested by: Intel Corporation Test date: Nov-2001 Hardware Avail: Aug-2001 Software Avail: Oct-2001

Benchmark	Reference Time	Base Runtime	Base Ratio	Runtime	Ratio	
168.wupwise	1600	178	901	176	908	
171.swim	3100	248	1252	245	1266	
172.mgrid	1800	275	655	264	682	
173.applu	2100	284	741	277	759	
177.mesa	1400	192	730	190	735	
178.galgel	2900	343	846	339	856	
179.art	2600	500	519	487	534	
183.quake	1300	174	748	166	782	
187.facerec	1900	245	776	244	779	
188.amp	2200	565	390	558	394	
189.lucas	2000	216	924	216	925	
191.fma3d	2100	360	583	359	585	
200.sixtrack	1100	333	330	320	344	
301.apsi	2600	528	492	528	493	

Hardware

CPU: Pentium 4 processor (1.8 GHz, 400 MHz bus)
 CPU MHz: 1800
 FPU: Integrated
 CPU(s) enabled: 1 core, 1 chip, 1 core/chip
 CPU(s) orderable: 1
 Parallel: No
 Primary Cache: 12k micro-ops I + 8KBD on chip
 Secondary Cache: 256KB(I+D) on chip
 L3 Cache: N/A
 Other Cache: N/A
 Memory: 256 MB (2 128 MB PC800 RDRAM non-ECC modules)
 Disk Subsystem: IBM DTLA-307030 ATA-100
 Other Hardware: None

Software

Operating System: Windows XP Professional(Build 2600)
 Compiler: Intel C++ Compiler 5.0.1 Build 010525Z
 Intel Fortran Compiler 5.0.1 Build 010525Z
 Microsoft Visual C++ 6.0 SP5(for libraries)
 File System: FAT32
 System State: Default

Notes/Tuning Information

```
+FDO: PASS1= -Qprof_gen PASS2=-Qprof_use
Base tuning: -Qipo -QxW -O3 +FDO
Portability:
178.galgel: -FI /F32000000
Peak tuning:
168.wupwise: -Qipo -QxW -O3 +FDO
171.swim: -Qipo -QxW -O3 +FDO
172.mgrid: -Qipo -QaxW -O3 +FDO
173.applu: -Qipo -QxW -O3 -Qscalar_rep- -Qauto +FDO
177.mesa: -Qipo -Oa -QxW -O3 +FDO
178.galgel: -Qipo -QxW -O3 +FDO
179.art: -Qipo -QxW -O3 -Oa +FDO
183.quake: -Qipo -QxW -Oa -Qrcd +FDO
187.facerec: -Qipo -QxW -O3 +FDO
188.amp: -Qipo -QxW -O3 -Oa +FDO
189.lucas: -Qipo -QxW -O3 +FDO
191.fma3d: -Qipo -QxW -O3 +FDO
```



CFP2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Intel Corporation

Intel D850MD motherboard (1.8 GHz, Pentium 4 processor)

SPECfp2000 = 679

SPECfp_base2000 = 667

SPEC license #: 13 | Tested by: Intel Corporation | Test date: Nov-2001 | Hardware Avail: Aug-2001 | Software Avail: Oct-2001

Notes/Tuning Information (Continued)

200.sixtrack: -Qipo -QxW +FDO

301.apsi: -Qipo -QxW -O3 +FDO

Tested systems can be used with Shin-G ATX case, Delta Inc. power supply PS-300GB-1 B

Product description located as of 1/2002:

<http://developer.intel.com/design/motherbd/md/index.htm>

Motherboard ordering information is available at:

<http://program.intel.com/shared/products/boards/D850MD/index.htm>

The system bus runs at 400 MHz