



# CINT2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

## IBM Corporation

IBM eServer xSeries 336 (2.8 GHz Xeon, 2MB L2 Cache)

SPECint\_rate2000 = 32.6

SPECint\_rate\_base2000 = 32.4

SPEC license #: 11 | Tested by: IBM Corporation | Test date: Jul-2005 | Hardware Avail: Sep-2005 | Software Avail: Jun-2005

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
164.gzip	4	231	28.2	4	226	28.7
175.vpr	4	305	21.3	4	296	22.0
176.gcc	4	116	44.1	4	116	44.1
181.mcf	4	427	19.6	4	434	19.2
186.crafty	4	190	24.4	4	188	24.7
197.parser	4	260	32.1	4	260	32.2
252.eon	4	150	40.2	4	149	40.4
253.perlbnk	4	232	36.0	4	231	36.1
254.gap	4	142	36.0	4	140	36.6
255.vortex	4	159	55.5	4	159	55.5
256.bzip2	4	247	28.2	4	246	28.3
300.twolf	4	347	40.1	4	346	40.2

### Hardware

CPU: Intel Xeon 2.8 GHz (800 MHz system bus)  
 CPU MHz: 2800  
 FPU: Integrated  
 CPU(s) enabled: 2 cores, 2 chips, 1 core/chip (Hyper-Threading Technology enabled)  
 CPU(s) orderable: 1  
 Parallel: No  
 Primary Cache: 12K(I) micro-ops + 16KB(D) on chip  
 Secondary Cache: 2048KB(I+D) on chip  
 L3 Cache: N/A  
 Other Cache: N/A  
 Memory: 8 x 512 MB ECC PC2-3200 Single Rank  
 Disk Subsystem: 73GB SCSI 15K RPM  
 Other Hardware:

### Software

Operating System: Windows Server 2003 Standard Edition  
 Compiler: Intel C/C++ Compiler 9.0 (20050624Z) for 32-bit applications  
 Intel Fortran Compiler 9.0 (20050624Z) for 32-bit applications  
 Microsoft Visual Studio .NET 13.0.9466 (for libraries)  
 MicroQuill Smartheap Library 7.30  
 File System: NTFS  
 System State: Default

## Notes/Tuning Information

### GENERAL

ONESTEP=yes  
 +FDO: PASS1=-Qprof\_gen PASS2=-Qprof\_use

### PORTABILITY FLAGS

176.gcc: -Dalloca=\_alloca /F10000000  
 186.crafty: -DNT\_i386  
 252.eon: srcalt=stdcpp  
 253.perlbnk: -DSPEC\_CPU2000\_NTOS -DPERLDLL /MT  
 254.gap: -DSYS\_HAS\_CALLOC\_PROTO -DSYS\_HAS\_MALLOC\_PROTO

### BASE TUNING

C: -fast -Qansi\_alias +FDO shlw32M.lib  
 C++: -fast -Qcxx\_features +FDO

### PEAK TUNING

164.gzip: -fast +FDO  
 175.vpr: -fast +FDO  
 176.gcc: basepeak=yes  
 181.mcf: -fast +FDO shlw32M.lib  
 186.crafty: -fast -Oa +FDO shlw32M.lib  
 197.parser: -fast +FDO  
 252.eon: -fast +FDO



# CINT2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

IBM Corporation

IBM eServer xSeries 336 (2.8 GHz Xeon, 2MB L2 Cache)

SPECint\_rate2000 = 32.6

SPECint\_rate\_base2000 = 32.4

SPEC license #: 11 | Tested by: IBM Corporation | Test date: Jul-2005 | Hardware Avail: Sep-2005 | Software Avail: Jun-2005

## Notes/Tuning Information (Continued)

```
253.perlbnk: -fast -Oa +FDO shlw32M.lib
254.gap:      -fast +FDO
255.vortex   -fast +FDO shlw32M.lib
256.bzip2:   -fast -Qunroll1 -Oa +FDO shlw32M.lib
300.twolf:   -fast +FDO shlw32M.lib
EXTRA LIBRARIES
shlw32M.lib: MicroQuill SmartHeap Library 7.1
              www.microquill.com
```