



CINT2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

Hewlett-Packard Company

ProLiant DL580 G3 (3.0GHz, Dual-Core Intel(R) Xeon(R) processor)

SPECint_rate2000 = 57.0

SPECint_rate_base2000 = 56.8

SPEC license #: 3 Tested by: Hewlett-Packard Company Test date: Oct-2005 Hardware Avail: Oct-2005 Software Avail: Sep-2005

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
164.gzip	4	146	44.6	4	146	44.5
175.vpr	4	177	36.7	4	172	37.8
176.gcc	4	71.7	71.2	4	71.7	71.2
181.mcf	4	243	34.4	4	243	34.3
186.crafty	4	90.8	51.1	4	91.0	51.0
197.parser	4	156	53.5	4	156	53.7
252.eon	4	69.5	86.8	4	68.9	87.5
253.perlbnk	4	107	78.3	4	105	79.2
254.gap	4	100	50.9	4	101	50.6
255.vortex	4	88.4	99.7	4	88.6	99.5
256.bzip2	4	166	41.9	4	165	42.2
300.twolf	4	196	71.0	4	196	71.0

Hardware

CPU: Dual-Core Intel(R) Xeon(R) processor (3.0GHz, 2x2MB L2, 667MHz bus)
CPU MHz: 3000
FPU: Integrated
CPU(s) enabled: 4 cores, 2 chips, 2 cores/chip (Hyper-Threading Technology disabled)
CPU(s) orderable: 1,2,4
Parallel: No
Primary Cache: 12K micro-ops I + 16KBD (on chip) per core
Secondary Cache: 2048KB(I+D) (on chip) per core
L3 Cache: N/A
Other Cache: N/A
Memory: 8x1024MB PC2-3200
Disk Subsystem: 1x72.8GB 15K Ultra320 SCSI
Other Hardware:

Software

Operating System: Windows Server 2003 Enterprise SP1
Compiler: Intel C++ Compiler for 32-bit applications, (Version 9.0 Build 20050912Z)
Microsoft Visual Studio .NET 7.0.9466 (for libraries)
MicroQuill Smartheap Library 7.0
File System: NTFS
System State: Default

Notes/Tuning Information

+FDO: PASS1=-Qprof_gen PASS2=-Qprof_use

Base tuning for C programs: -fast +FDO ONESTEP=yes shlw32M.lib

Base tuning for C++ programs: -fast -Qcxx_features +FDO ONESTEP=yes

Portability flags:

176.gcc: -Dalloca=_alloca /F10000000

186.crafty: -DNT_i386

253.perlbnk: -DSPEC_CPU2000_NTOS -DPERL DLL /MT

254.gap: -DSYS_HAS_CALLOC_PROTO -DSYS_HAS_MALLOC_PROTO

Peak tuning:

164.gzip: -fast +FDO ONESTEP=yes

175.vpr: -fast +FDO ONESTEP=yes

176.gcc: basepeak = 1

181.mcf: -fast +FDO ONESTEP=yes shlw32M.lib

186.crafty: -fast -Oa +FDO ONESTEP=yes shlw32M.lib

197.parser: -fast +FDO ONESTEP=yes

252.eon: -fast +FDO

253.perlbnk: -fast -Oa +FDO ONESTEP=yes shlw32M.lib

254.gap: -fast +FDO ONESTEP=yes

255.vortex: -fast +FDO ONESTEP=yes shlw32M.lib



CINT2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

Hewlett-Packard Company

ProLiant DL580 G3 (3.0GHz, Dual-Core Intel(R) Xeon(R) processor)

SPECint_rate2000 = 57.0

SPECint_rate_base2000 = 56.8

SPEC license #: 3 Tested by: Hewlett-Packard Company Test date: Oct-2005 Hardware Avail: Oct-2005 Software Avail: Sep-2005

Notes/Tuning Information (Continued)

256.bzip2: -fast -Oa -Qunroll11 +FDO ONESTEP=yes shlw32M.lib
300.twolf: -fast +FDO shlw32M.lib
BIOS Configuration Notes
Hyper-Threading Technology disabled