



CINT2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

Hewlett-Packard Company
ProLiant ML150 G3 (3.00 GHz, Intel Xeon processor 5050)

SPECint_rate2000 = **63.2**
SPECint_rate_base2000 = **62.8**

SPEC license #: 3 Tested by: Hewlett-Packard Company Test date: Aug-2006 Hardware Avail: May-2006 Software Avail: May-2006

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
164.gzip	8	221	58.8	8	220	59.0
175.vpr	8	342	37.9	8	330	39.4
176.gcc	8	115	88.8	8	115	88.8
181.mcf	8	661	25.3	8	662	25.2
186.crafty	8	181	51.2	8	181	51.3
197.parser	8	258	64.7	8	256	65.2
252.eon	8	118	102	8	119	101
253.perlbnk	8	222	75.4	8	219	76.3
254.gap	8	156	65.4	8	153	66.5
255.vortex	8	165	107	8	165	107
256.bzip2	8	280	49.6	8	280	49.6
300.twolf	8	326	85.3	8	326	85.5

Hardware

CPU: Intel Xeon processor 5050 (3.00 GHz, 2x2 MB L2, 667 MHz bus)
CPU MHz: 3000
FPU: Integrated
CPU(s) enabled: 4 cores, 2 chips, 2 cores/chip (Hyper-Threading Technology enabled)
CPU(s) orderable: 1,2
Parallel: No
Primary Cache: 12 K micro-ops I + 16 KB D on chip per core
Secondary Cache: 2 MB I+D on chip per core
L3 Cache: N/A
Other Cache: N/A
Memory: 8 GB (4x2048 MB PC2-5300F)
Disk Subsystem: 1x36 GB 15 K SAS
Other Hardware:

Software

Operating System: Windows Server 2003 Enterprise SP1
Compiler: Intel C++ Compiler for 32-bit applications, (Version 9.1 Build 20060323Z)
Microsoft Visual Studio .NET 7.0.9466 (for libraries)
MicroQuill Smartheap Library 7.0
File System: NTFS
System State: Default

Notes/Tuning Information

+FDO: PASS1=-Qprof_gen PASS2=-Qprof_use

Base tuning for C programs: -fast +FDO ONESTEP=yes shlw32M.lib

Base tuning for C++ programs: -fast -Qcxx_features +FDO ONESTEP=yes

Portability flags:

176.gcc: -Dalloca=_alloca /F10000000

186.crafty: -DNT_i386

253.perlbnk: -DSPEC_CPU2000_NTOS -DPERL DLL /MT

254.gap: -DSYS_HAS_CALLOC_PROTO -DSYS_HAS_MALLOC_PROTO

Peak tuning:

164.gzip: -fast +FDO ONESTEP=yes

175.vpr: -fast +FDO ONESTEP=yes

176.gcc: basepeak=1

181.mcf: -fast +FDO ONESTEP=yes shlw32M.lib

186.crafty: -fast -Oa +FDO ONESTEP=yes shlw32M.lib

197.parser: -fast +FDO ONESTEP=yes

252.eon: -fast +FDO

253.perlbnk: -fast -Oa +FDO ONESTEP=yes shlw32M.lib

254.gap: -fast +FDO ONESTEP=yes

255.vortex: -fast +FDO ONESTEP=yes shlw32M.lib



CINT2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

Hewlett-Packard Company
ProLiant ML150 G3 (3.00 GHz, Intel Xeon processor 5050)

SPECint_rate2000 = 63.2
SPECint_rate_base2000 = 62.8

SPEC license #: 3 | Tested by: Hewlett-Packard Company | Test date: Aug-2006 | Hardware Avail: May-2006 | Software Avail: May-2006

Notes/Tuning Information (Continued)

256.bzip2: basepeak=1
300.twolf: -fast +FDO shlw32M.lib
BIOS Configuration Notes
Hyper-Threading Technology enabled