



# SPEC® CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Intel Corporation

**SPECint®\_rate2006 = 109**

Intel DQ87PG motherboard (Intel Core i3-4340)

**SPECint\_rate\_base2006 = 102**

CPU2006 license: 13


Test sponsor: Intel Corporation

Tested by: Intel Corporation

Test date: Sep-2013

Hardware Availability: Sep-2013

Software Availability: Apr-2013



## Hardware

CPU Name: Intel Core i3-4340  
CPU Characteristics:  
CPU MHz: 3600  
FPU: Integrated  
CPU(s) enabled: 2 cores, 1 chip, 2 cores/chip, 2 threads/core  
CPU(s) orderable: 1 chip  
Primary Cache: 32 KB I + 32 KB D on chip per core  
Secondary Cache: 256 KB I+D on chip per core  
L3 Cache: 4 MB I+D on chip per chip  
Other Cache: None  
Memory: 4 GB (2 x 2 GB 1Rx8 PC3-12800U-11)  
Disk Subsystem: 250 GB Seagate SATA HDD, 7200 RPM  
Other Hardware: None

## Software

Operating System: Microsoft Windows 7 Enterprise 6.1.7601 Service Pack 1 Build 7601  
Compiler: C/C++: Version 13.1.1.171 of Intel C++ Studio XE for Windows;  
Libraries: Version 16.00.30319.01 of Microsoft Visual Studio 2010 Professional SP1  
Auto Parallel: No  
File System: NTFS  
System State: Default  
Base Pointers: 32-bit  
Peak Pointers: 32/64-bit  
Other Software: SmartHeap Library Version 10.0 from <http://www.microquill.com/>



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

## Intel Corporation

Intel DQ87PG motherboard (Intel Core i3-4340)

**SPECint\_rate2006 = 109**

CPU2006 license: 13

Test date: Sep-2013

Test sponsor: Intel Corporation

Hardware Availability: Sep-2013

Tested by: Intel Corporation

Software Availability: Apr-2013

## Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	4	<b>508</b>	<b>76.8</b>	509	76.8	508	76.8	4	435	90.0	429	91.2	<b>430</b>	<b>90.8</b>
401.bzip2	4	796	48.4	<b>744</b>	<b>52.0</b>	735	52.4	4	719	53.6	710	54.4	<b>712</b>	<b>54.4</b>
403.gcc	4	<b>388</b>	<b>82.8</b>	387	83.2	388	82.8	4	373	86.4	<b>372</b>	<b>86.8</b>	370	86.8
429.mcf	4	418	87.2	454	80.4	<b>435</b>	<b>84.0</b>	4	418	87.2	454	80.4	<b>435</b>	<b>84.0</b>
445.gobmk	4	567	74.0	570	73.6	<b>568</b>	<b>74.0</b>	4	538	78.0	<b>539</b>	<b>78.0</b>	539	78.0
456.hmmer	4	<b>250</b>	<b>149</b>	249	150	251	149	4	202	185	<b>201</b>	<b>186</b>	201	186
458.sjeng	4	<b>637</b>	<b>76.0</b>	635	76.0	640	75.6	4	<b>629</b>	<b>76.8</b>	629	76.8	624	77.6
462.libquantum	4	<b>76.3</b>	<b>1090</b>	76.0	1090	76.5	1080	4	71.4	1160	<b>71.3</b>	<b>1160</b>	71.2	1160
464.h264ref	4	677	131	674	131	<b>675</b>	<b>131</b>	4	677	131	674	131	<b>675</b>	<b>131</b>
471.omnetpp	4	461	54.4	442	56.4	<b>455</b>	<b>54.8</b>	4	431	58.0	415	60.4	<b>426</b>	<b>58.8</b>
473.astar	4	485	58.0	<b>482</b>	<b>58.4</b>	480	58.4	4	446	62.8	<b>450</b>	<b>62.4</b>	452	62.0
483.xalancbmk	4	234	118	233	118	<b>233</b>	<b>118</b>	4	234	118	233	118	<b>233</b>	<b>118</b>

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

## Compiler Invocation Notes

To compile these binaries, the Intel Compiler 13.1 was set up to generate 32-bit binaries with the command:  
 "ipsxe-comp-vars.bat ia32 vs2010" (shortcut provided in the Intel(r) Parallel Studio XE 2013 program folder)

## Submit Notes

Processes were bound to specific processors using the start command with the /affinity switch. The config file option 'submit' was used to generate the affinity mask for each process.

## Platform Notes

```
Sysinfo program C:\SPEC13.1\Docs\sysinfo
$Rev: 6775 $ $Date::: 2011-08-16 #\$ \8787f7622badcf24e01c368b1db4377c
running on Clt7C05070FB2B7 Fri Sep 20 02:30:10 2013
```

This section contains SUT (System Under Test) info as seen by some common utilities. To remove or add to this section, see:  
<http://www.spec.org/cpu2006/Docs/config.html#sysinfo>

```
Trying 'systeminfo'
OS Name      : Microsoft Windows 7 Enterprise
OS Version   : 6.1.7601 Service Pack 1 Build 7601
System Manufacturer: INTEL_
System Model  : DQ87PG_
Processor(s)  : 1 Processor(s) Installed.
```

Continued on next page



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

## Intel Corporation

Intel DQ87PG motherboard (Intel Core i3-4340)

**SPECint\_rate2006 = 109**

CPU2006 license: 13

**Test date:** Sep-2013

Test sponsor: Intel Corporation

**Hardware Availability:** Sep-2013

Tested by: Intel Corporation

**Software Availability:** Apr-2013

## Platform Notes (Continued)

[01]: Intel64 Family 6 Model 60 Stepping 3 GenuineIntel ~3600 Mhz  
BIOS Version : Intel(R) Corp. PGQ8710H.86A.0036.2013.0702.1908, 7/2/2013  
Total Physical Memory: 3,749 MB

```
Trying 'wmic cpu get /value'  
DeviceID      : CPU0  
L2CacheSize   : 512  
L3CacheSize   : 4096  
MaxClockSpeed : 3600  
Name          : Intel(R) Core(TM) i3-4340 CPU @ 3.60GHz  
NumberOfCores : 2  
NumberOfLogicalProcessors: 4
```

(End of data from sysinfo program)  
BIOS: SATA mode set to RAID  
Windows Disk Driver: Intel Rapid Storage Technology 12.5.0.1066  
Windows Chipset Driver: Intel Chipset Driver 9.4.0.1027

## Component Notes

Tested systems can be used with Shin-G ATX case,  
PC Power and Cooling 1200W power supply  
Micron MT8JTF25664AZ-1G6 Series Memory DIMMs

## General Notes

Binaries compiled on a system with 1x Intel Core i7-860 CPU  
+ 8GB memory using Windows 7 Enterprise 64-bit

## Base Compiler Invocation

C benchmarks:

```
icl -Qvc10 -Qstd=c99
```

C++ benchmarks:

```
icl -Qvc10
```

## Base Portability Flags

```
403.gcc: -DSPEC_CPU_WIN32  
464.h264ref: -DWIN32 -DSPEC_CPU_NO_INTTYPES  
483.xalancbmk: -Qoption,cpp,--no_wchar_t_keyword
```



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Intel Corporation

Intel DQ87PG motherboard (Intel Core i3-4340)

**SPECint\_rate2006 = 109**

CPU2006 license: 13

Test sponsor: Intel Corporation

Tested by: Intel Corporation

Test date: Sep-2013

Hardware Availability: Sep-2013

Software Availability: Apr-2013

## Base Optimization Flags

C benchmarks:

```
-QxCORE-AVX2 -Qipo -O3 -Qprec-div- -Qopt-prefetch /F512000000
```

C++ benchmarks:

```
-QxCORE-AVX2 -Qipo -O3 -Qprec-div- -Qopt-prefetch -Qcxx-features  
/F512000000 shlw32M.lib -link /FORCE:MULTIPLE
```

## Base Other Flags

C benchmarks:

```
403.gcc: -Dalloca=_alloca
```

## Peak Compiler Invocation

C benchmarks (except as noted below):

```
icl -Qvc10 -Qstd=c99
```

```
456.hmmr: C:\Program Files (x86)\Intel\Composer XE 2013.171/bin/intel64/icl.exe
```

```
458.sjeng: C:\Program Files (x86)\Intel\Composer XE 2013.171/bin/intel64/icl.exe
```

```
462.libquantum: C:\Program Files (x86)\Intel\Composer XE 2013.171/bin/intel64/icl.exe  
-Qstd=c99
```

C++ benchmarks (except as noted below):

```
icl -Qvc10
```

```
473.astar: C:\Program Files (x86)\Intel\Composer XE 2013.171/bin/intel64/icl.exe
```

## Peak Portability Flags

```
403.gcc: -DSPEC_CPU_WIN32
```

```
456.hmmr: -DSPEC_CPU_P64
```

```
458.sjeng: -DSPEC_CPU_P64
```

```
462.libquantum: -DSPEC_CPU_P64
```

```
464.h264ref: -DWIN32 -DSPEC_CPU_NO_INTTYPES
```

```
473.astar: -DSPEC_CPU_P64
```

```
483.xalancbmk: -Qoption,cpp,--no_wchar_t_keyword
```



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

**Intel Corporation**

Intel DQ87PG motherboard (Intel Core i3-4340)

**SPECint\_rate2006 = 109**

**CPU2006 license:** 13

**Test sponsor:** Intel Corporation

**Tested by:** Intel Corporation

**Test date:** Sep-2013

**Hardware Availability:** Sep-2013

**Software Availability:** Apr-2013

## Peak Optimization Flags

C benchmarks:

```
400.perlbench: -QxCORE-AVX2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2)
               -Qipo -O3 -Qprec-div- -Qansi-alias -Qopt-prefetch
               /F512000000 shlw32M.lib           -link /FORCE:MULTIPLE
```

```
401.bzip2: -QxCORE-AVX2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2)
            -Qipo -O3 -Qprec-div- -Qopt-prefetch -Qansi-alias
            /F512000000
```

```
403.gcc: -QxCORE-AVX2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2)
          -Qipo -O3 -Qprec-div- -Qopt-prefetch /F512000000
```

429.mcf: basepeak = yes

```
445.gobmk: -QxCORE-AVX2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2)
            -Qipo -O2 -Qprec-div- -Qansi-alias /F512000000
```

```
456.hmmr: -Qauto-ilp32 -QxCORE-AVX2(pass 2) -Qprof_gen(pass 1)
            -Qprof_use(pass 2) -Qipo -O3 -Qprec-div- -Qopt-prefetch
            /F512000000
```

```
458.sjeng: -Qauto-ilp32 -QxCORE-AVX2(pass 2) -Qprof_gen(pass 1)
            -Qprof_use(pass 2) -Qipo -O3 -Qprec-div- -Qunroll4
            /F512000000
```

```
462.libquantum: -Qauto-ilp32 -QxCORE-AVX2 -Qipo -O3 -Qprec-div-
                 -Qopt-prefetch /F512000000
```

464.h264ref: basepeak = yes

C++ benchmarks:

```
471.omnetpp: -QxCORE-AVX2(pass 2) -Qprof_gen(pass 1) -Qprof_use(pass 2)
               -Qipo -O3 -Qprec-div- -Qansi-alias
               -Qopt-ra-region-strategy=block /F512000000 shlw32M.lib
               -link /FORCE:MULTIPLE
```

```
473.astar: -Qauto-ilp32 -QxCORE-AVX2 -Qipo -O3 -Qprec-div-
            -Qopt-prefetch /F512000000 shlw64M.lib
            -link /FORCE:MULTIPLE
```

483.xalancbmk: basepeak = yes

## Peak Other Flags

C benchmarks:

Continued on next page



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

## Intel Corporation

Intel DQ87PG motherboard (Intel Core i3-4340)

**SPECint\_rate2006 = 109**

CPU2006 license: 13

Test date: Sep-2013

Test sponsor: Intel Corporation

Hardware Availability: Sep-2013

Tested by: Intel Corporation

Software Availability: Apr-2013

## Peak Other Flags (Continued)

403.gcc: -Dalloca=\_alloca

456.hmmer: -link -LIBPATH:C:\Program Files (x86)\Intel\Composer XE 2013.171\compiler\lib/intel64  
-link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 10.0/VC/lib/AMD64  
-link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 10.0/VC/lib  
-link -LIBPATH:C:/Program Files (x86)/Microsoft SDKs/Windows/v7.0A/lib/x64

458.jeng: -link -LIBPATH:C:\Program Files (x86)\Intel\Composer XE 2013.171\compiler\lib/intel64  
-link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 10.0/VC/lib/AMD64  
-link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 10.0/VC/lib  
-link -LIBPATH:C:/Program Files (x86)/Microsoft SDKs/Windows/v7.0A/lib/x64

462.libquantum: -link -LIBPATH:C:\Program Files (x86)\Intel\Composer XE 2013.171\compiler\lib/intel64  
-link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 10.0/VC/lib/AMD64  
-link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 10.0/VC/lib  
-link -LIBPATH:C:/Program Files (x86)/Microsoft SDKs/Windows/v7.0A/lib/x64

C++ benchmarks:

473.astar: -link -LIBPATH:C:\Program Files (x86)\Intel\Composer XE 2013.171\compiler\lib/intel64  
-link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 10.0/VC/lib/AMD64  
-link -LIBPATH:C:/Program Files (x86)/Microsoft Visual Studio 10.0/VC/lib  
-link -LIBPATH:C:/Program Files (x86)/Microsoft SDKs/Windows/v7.0A/lib/x64

The flags file that was used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/Intel-ic13.1-official-windows.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/cpu2006/flags/Intel-ic13.1-official-windows.xml>

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.  
For other inquiries, please contact [webmaster@spec.org](mailto:webmaster@spec.org).

Tested with SPEC CPU2006 v1.2.

Report generated on Fri Jul 25 00:39:57 2014 by SPEC CPU2006 PS/PDF formatter v6932.

Originally published on 15 July 2014.