



SPEC® CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECint_rate2006 = Not Run

IBM BladeCenter HS21 XM (Intel Xeon 5110)

SPECint_rate_base2006 = 32.9

CPU2006 license: 11


Test date: Jan-2007

Test sponsor: IBM Corporation

Hardware Availability: Feb-2007

Tested by: IBM Corporation

Software Availability: Aug-2006



Hardware

CPU Name: Intel Xeon 5110
CPU Characteristics: 1066MHz system bus
CPU MHz: 1600
FPU: Integrated
CPU(s) enabled: 4 cores, 2 chips, 2 cores/chip
CPU(s) orderable: 1 chip
Primary Cache: 32 KB I + 32 KB D on chip per core
Secondary Cache: 4 MB I+D on chip per chip
L3 Cache: None
Other Cache: None
Memory: 16 GB (8 x 2GB DDR2-5300F ECC)
Disk Subsystem: 1 x 74 GB SAS, 1000 RPM
Other Hardware: None

Software

Operating System: Microsoft Windows Server 2003 Enterprise x64 Edition + SP1 (64-bit)
Compiler: Intel C++ Compiler for IA32 version 9.1 Build no 20060816
Intel Fortran Compiler for IA32 version 9.1 Build no 20060816
Microsoft Visual Studio .Net 2003 (for libraries)
Auto Parallel: No
File System: NTFS
System State: Default
Base Pointers: 32-bit
Peak Pointers: Not Applicable
Other Software: Smart Heap Library, Version 8



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECint_rate2006 = Not Run

IBM BladeCenter HS21 XM (Intel Xeon 5110)

SPECint_rate_base2006 = 32.9

CPU2006 license: 11

Test date: Jan-2007

Test sponsor: IBM Corporation

Hardware Availability: Feb-2007

Tested by: IBM Corporation

Software Availability: Aug-2006

Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	4	856	45.6	856	45.7	856	45.6							
401.bzip2	4	1405	27.5	1405	27.5	1403	27.5							
403.gcc	4	1692	19.0	1695	19.0	1695	19.0							
429.mcf	4	1024	35.6	1023	35.7	1024	35.6							
445.gobmk	4	1008	41.6	1008	41.6	1008	41.6							
456.hammer	4	1384	27.0	1384	27.0	1384	27.0							
458.sjeng	4	1230	39.3	1231	39.3	1231	39.3							
462.libquantum	4	3602	23.0	3601	23.0	3601	23.0							
464.h264ref	4	1347	65.7	1347	65.7	1348	65.7							
471.omnetpp	4	991	25.2	990	25.3	990	25.3							
473.astar	4	1052	26.7	1052	26.7	1052	26.7							
483.xalancbmk	4	652	42.3	654	42.2	654	42.2							

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Base Compiler Invocation

C benchmarks:

 icl -Qvc7.1 -Qc99

C++ benchmarks:

 icl -Qvc7.1

Base Portability Flags

403.gcc: -DSPEC_CPU_WIN32

464.h264ref: -DSPEC_CPU_NO_INTTYPES -DWIN32

Base Optimization Flags

C benchmarks:

 -fast /F512000000 shlw32m.lib -link /FORCE:MULTIPLE

C++ benchmarks:

 -fast -Qcxx_features /F512000000 shlw32m.lib
 -link /FORCE:MULTIPLE



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECint_rate2006 = Not Run

IBM BladeCenter HS21 XM (Intel Xeon 5110)

SPECint_rate_base2006 = 32.9

CPU2006 license: 11

Test date: Jan-2007

Test sponsor: IBM Corporation

Hardware Availability: Feb-2007

Tested by: IBM Corporation

Software Availability: Aug-2006

Base Other Flags

C benchmarks:

403.gcc: -Dalloca=_alloca

The flags file that was used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/Intel-ic91-flags.20090714.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/cpu2006/flags/Intel-ic91-flags.20090714.xml>

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.0.

Report generated on Tue Jul 22 10:39:11 2014 by SPEC CPU2006 PS/PDF formatter v6932.

Originally published on 6 March 2007.