



SPEC® CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Dell Inc.

PowerEdge 2950 (Intel Xeon processor E5345, 2.33 GHz)

SPECint_rate2006 = Not Run

SPECint_rate_base2006 = 74.8

CPU2006 license: 55


Test sponsor: Dell Inc.

Tested by: Dell Inc.

Test date: Mar-2007

Hardware Availability: Dec-2006

Software Availability: Nov-2006



Hardware

CPU Name: Intel Xeon E5345
 CPU Characteristics: 1333 MHz Bus Speed
 CPU MHz: 2333
 FPU: Integrated
 CPU(s) enabled: 8 cores, 2 chips, 4 cores/chip
 CPU(s) orderable: 1,2 chips
 Primary Cache: 32 KB I + 32 KB D on chip per core
 Secondary Cache: 8 MB I+D on chip per chip, 4 MB shared / 2 cores
 L3 Cache: None
 Other Cache: None
 Memory: 16 GB (8 x 2 GB 667MHz CL5 DDR2 FB-DIMM SDRAM)
 Disk Subsystem: 1 x 73 GB SAS 15k RPM
 Other Hardware: None

Software

Operating System: Microsoft Windows Server 2003 Enterprise x64 Edition + SP1 (64-bit)
 Compiler: Intel C++ Compiler 9.1 for IA32 (20061103Z)
 Microsoft Visual Studio 2005
 Auto Parallel: No
 File System: NTFS
 System State: Default
 Base Pointers: 32-bit
 Peak Pointers: Not Applicable
 Other Software: MicroQuill SmartHeap Library 8.0



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Dell Inc.

PowerEdge 2950 (Intel Xeon processor E5345, 2.33 GHz)

SPECint_rate2006 = Not Run

SPECint_rate_base2006 = 74.8

CPU2006 license: 55

Test date: Mar-2007

Test sponsor: Dell Inc.

Hardware Availability: Dec-2006

Tested by: Dell Inc.

Software Availability: Nov-2006

Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	8	619	126	617	127	619	126							
401.bzip2	8	1116	69.2	1115	69.2	1121	68.9							
403.gcc	8	1983	32.5	2012	32.0	1991	32.3							
429.mcf	8	1104	66.1	1100	66.3	1105	66.1							
445.gobmk	8	728	115	727	115	726	116							
456.hmmer	8	1001	74.6	1001	74.6	1001	74.5							
458.sjeng	8	866	112	866	112	867	112							
462.libquantum	8	5732	28.9	5737	28.9	5733	28.9							
464.h264ref	8	934	190	933	190	933	190							
471.omnetpp	8	914	54.7	914	54.7	913	54.7							
473.astar	8	888	63.3	889	63.2	888	63.2							
483.xalancbmk	8	612	90.2	612	90.1	612	90.2							

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Platform Notes

Hardware Prefetcher disabled in BIOS
Adjacent Cache Line Prefetch disabled in BIOS

Base Compiler Invocation

C benchmarks:
 icl -Qc99

C++ benchmarks:
 icl

Base Portability Flags

403.gcc: -DSPEC_CPU_WIN32
464.h264ref: -DSPEC_CPU_NO_INTTYPES -DWIN32
483.xalancbmk: -Qoption,cpp, --no_wchar_t_keyword

Base Optimization Flags

C benchmarks:
 -fast /F512000000 shlw32M.lib -link /FORCE:MULTIPLE

Continued on next page



SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Dell Inc.

PowerEdge 2950 (Intel Xeon processor E5345, 2.33 GHz)

SPECint_rate2006 = Not Run

SPECint_rate_base2006 = 74.8

CPU2006 license: 55

Test sponsor: Dell Inc.

Tested by: Dell Inc.

Test date: Mar-2007

Hardware Availability: Dec-2006

Software Availability: Nov-2006

Base Optimization Flags (Continued)

C++ benchmarks:

```
-fast -Qcxx_features /F512000000 shlw32M.lib  
-link /FORCE:MULTIPLE
```

Base Other Flags

C benchmarks:

```
403.gcc: -Dalloca=_alloca
```

The flags file that was used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/dell.cpu2006.ic91.flags.html>

You can also download the XML flags source by saving the following link:

<http://www.spec.org/cpu2006/flags/dell.cpu2006.ic91.flags.xml>

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.0.

Report generated on Tue Jul 22 12:00:35 2014 by SPEC CPU2006 PS/PDF formatter v6932.

Originally published on 17 April 2007.