



# SPEC® CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

## Hewlett-Packard Company

**SPECint®2006 = 14.0**

## Proliant DL365 (AMD Opteron 2220 SE)

**SPECint\_base2006 = 12.7**

CPU2006 license: 3


Test sponsor: Hewlett-Packard Company

Tested by: Hewlett-Packard Company

Test date: May-2007

Hardware Availability: Jan-2007

Software Availability: Apr-2007



### Hardware

CPU Name: AMD Opteron 2220 SE  
 CPU Characteristics:  
 CPU MHz: 2800  
 FPU: Integrated  
 CPU(s) enabled: 1 core, 1 chip, 2 cores/chip  
 CPU(s) orderable: 1,2 chips  
 Primary Cache: 64 KB I + 64 KB D on chip per core  
 Secondary Cache: 1 MB I+D on chip per core  
 L3 Cache: None  
 Other Cache: None  
 Memory: 16 GB (4x4 GB, PC2-5300P CL5)  
 Disk Subsystem: 1x72 GB 10 K SAS  
 Other Hardware: None

### Software

Operating System: SuSE Linux Enterprise Server 10 (x86-64)  
 SuSE kernel 2.6.16.21-0.8-default  
 Compiler: QLogic PathScale  
 Compiler Suite, Release 3.0  
 Auto Parallel: No  
 File System: ext2  
 System State: Multi-user, run level 3  
 Base Pointers: 32/64-bit  
 Peak Pointers: 32/64-bit  
 Other Software: None



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Hewlett-Packard Company

SPECint2006 = 14.0

Proliant DL365 (AMD Opteron 2220 SE)

SPECint\_base2006 = 12.7

CPU2006 license: 3

Test date: May-2007

Test sponsor: Hewlett-Packard Company

Hardware Availability: Jan-2007

Tested by: Hewlett-Packard Company

Software Availability: Apr-2007

## Results Table

| Benchmark      | Base               |                    |                    |                    |                   |                    | Peak              |                    |                    |                    |                    |                    |
|----------------|--------------------|--------------------|--------------------|--------------------|-------------------|--------------------|-------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
|                | Seconds            | Ratio              | Seconds            | Ratio              | Seconds           | Ratio              | Seconds           | Ratio              | Seconds            | Ratio              | Seconds            | Ratio              |
| 400.perlbench  | 768                | 12.7               | <b><u>770</u></b>  | <b><u>12.7</u></b> | 771               | 12.7               | 627               | 15.6               | <b><u>627</u></b>  | <b><u>15.6</u></b> | 629                | 15.5               |
| 401.bzip2      | 953                | 10.1               | <b><u>935</u></b>  | <b><u>10.3</u></b> | 931               | 10.4               | 922               | 10.5               | <b><u>923</u></b>  | <b><u>10.5</u></b> | 924                | 10.4               |
| 403.gcc        | 805                | 10.0               | 802                | 10.0               | <b><u>803</u></b> | <b><u>10.0</u></b> | 696               | 11.6               | <b><u>696</u></b>  | <b><u>11.6</u></b> | 694                | 11.6               |
| 429.mcf        | 808                | 11.3               | 809                | 11.3               | <b><u>809</u></b> | <b><u>11.3</u></b> | 650               | 14.0               | <b><u>650</u></b>  | <b><u>14.0</u></b> | 650                | 14.0               |
| 445.gobmk      | <b><u>741</u></b>  | <b><u>14.2</u></b> | 741                | 14.2               | 741               | 14.2               | 627               | 16.7               | <b><u>627</u></b>  | <b><u>16.7</u></b> | 628                | 16.7               |
| 456.hmmer      | <b><u>675</u></b>  | <b><u>13.8</u></b> | 672                | 13.9               | 678               | 13.8               | 498               | 18.7               | 498                | 18.7               | <b><u>498</u></b>  | <b><u>18.7</u></b> |
| 458.sjeng      | 947                | 12.8               | 953                | 12.7               | <b><u>951</u></b> | <b><u>12.7</u></b> | 877               | 13.8               | 875                | 13.8               | <b><u>876</u></b>  | <b><u>13.8</u></b> |
| 462.libquantum | 1372               | 15.1               | <b><u>1357</u></b> | <b><u>15.3</u></b> | 1334              | 15.5               | 1326              | 15.6               | 1329               | 15.6               | <b><u>1327</u></b> | <b><u>15.6</u></b> |
| 464.h264ref    | <b><u>1054</u></b> | <b><u>21.0</u></b> | 1033               | 21.4               | 1068              | 20.7               | 1002              | 22.1               | <b><u>1005</u></b> | <b><u>22.0</u></b> | 1029               | 21.5               |
| 471.omnetpp    | 635                | 9.84               | <b><u>636</u></b>  | <b><u>9.83</u></b> | 639               | 9.79               | 645               | 9.70               | <b><u>647</u></b>  | <b><u>9.66</u></b> | 648                | 9.65               |
| 473.astar      | <b><u>718</u></b>  | <b><u>9.78</u></b> | 717                | 9.80               | 721               | 9.74               | <b><u>718</u></b> | <b><u>9.78</u></b> | 717                | 9.80               | 721                | 9.74               |
| 483.xalancbmk  | <b><u>464</u></b>  | <b><u>14.9</u></b> | 464                | 14.9               | 464               | 14.9               | <b><u>453</u></b> | <b><u>15.2</u></b> | 453                | 15.2               | 454                | 15.2               |

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

## General Notes

Node interleaving is disabled  
ulimit -s unlimited set  
Single processor kernel used

## Base Compiler Invocation

C benchmarks:  
pathcc

C++ benchmarks:  
pathCC

## Base Portability Flags

400.perlbench: -DSPEC\_CPU\_LP64 -DSPEC\_CPU\_LINUX\_X64  
401.bzip2: -DSPEC\_CPU\_LP64  
403.gcc: -DSPEC\_CPU\_LP64  
429.mcf: -DSPEC\_CPU\_LP64  
445.gobmk: -DSPEC\_CPU\_LP64  
456.hmmer: -DSPEC\_CPU\_LP64  
458.sjeng: -DSPEC\_CPU\_LP64  
462.libquantum: -DSPEC\_CPU\_LP64 -DSPEC\_CPU\_LINUX  
464.h264ref: -DSPEC\_CPU\_LP64

Continued on next page



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Hewlett-Packard Company

SPECint2006 = 14.0

Proliant DL365 (AMD Opteron 2220 SE)

SPECint\_base2006 = 12.7

CPU2006 license: 3

Test date: May-2007

Test sponsor: Hewlett-Packard Company

Hardware Availability: Jan-2007

Tested by: Hewlett-Packard Company

Software Availability: Apr-2007

## Base Portability Flags (Continued)

483.xalancbmk: -DSPEC\_CPU\_LINUX

## Base Optimization Flags

C benchmarks:

-Ofast -OPT:malloc\_alg=1

C++ benchmarks:

-Ofast -m32 -L/cpu2006/amd514K8.lib/32 -lsmartheap

## Peak Compiler Invocation

C benchmarks:

pathcc

C++ benchmarks:

pathCC

## Peak Portability Flags

400.perlbench: -DSPEC\_CPU\_LP64 -DSPEC\_CPU\_LINUX\_X64  
401.bzip2: -DSPEC\_CPU\_LP64  
445.gobmk: -DSPEC\_CPU\_LP64  
456.hmmmer: -DSPEC\_CPU\_LP64  
458.sjeng: -DSPEC\_CPU\_LP64  
462.libquantum: -DSPEC\_CPU\_LP64 -DSPEC\_CPU\_LINUX  
464.h264ref: -DSPEC\_CPU\_LP64  
483.xalancbmk: -DSPEC\_CPU\_LINUX

## Peak Optimization Flags

C benchmarks:

400.perlbench: -fb\_create fbdata(pass 1) -fb\_opt fbdata(pass 2) -Ofast  
-LNO:opt=0

401.bzip2: -O3 -LNO:ou\_prod\_max=10 -OPT:Ofast -OPT:alias=disjoint

403.gcc: -fb\_create fbdata(pass 1) -fb\_opt fbdata(pass 2) -m32 -O3  
-OPT:Ofast

Continued on next page



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Hewlett-Packard Company

SPECint2006 = 14.0

Proliant DL365 (AMD Opteron 2220 SE)

SPECint\_base2006 = 12.7

CPU2006 license: 3

Test date: May-2007

Test sponsor: Hewlett-Packard Company

Hardware Availability: Jan-2007

Tested by: Hewlett-Packard Company

Software Availability: Apr-2007

## Peak Optimization Flags (Continued)

429.mcf: -m32 -O3 -ipa -L/cpu2006/amd514K8.lib/32 -lsmartheap

445.gobmk: -fb\_create fbdata(pass 1) -fb\_opt fbdata(pass 2) -O3  
-OPT:alias=disjoint -LNO:simd=0 -LNO:minvariant=off  
-WOPT:retype\_expr=on

456.hmmer: -O2 -OPT:alias=disjoint -OPT:malloc\_alg=1 -CG:cflow=0

458.sjeng: -fb\_create fbdata(pass 1) -fb\_opt fbdata(pass 2) -O3  
-IPA:plimit=50000 -IPA:pu\_reorder=2

462.libquantum: -O3 -ipa -CG:local\_fwd\_sched=on -IPA:space=1000

464.h264ref: -fb\_create fbdata(pass 1) -fb\_opt fbdata(pass 2) -O3  
-IPA:plimit=20000 -OPT:alias=disjoint -LNO:prefetch=0

C++ benchmarks:

471.omnetpp: -Ofast -CG:gcm=off -m32  
-L/cpu2006/amd514K8.lib/32 -lsmartheap

473.astar: basepeak = yes

483.xalancbmk: -Ofast -m32 -OPT:unroll\_times\_max=8  
-L/cpu2006/amd514K8.lib/32 -lsmartheap

The flags file that was used to format this result can be browsed at

[http://www.spec.org/cpu2006/flags/CPU2006\\_flags.20090714.16.html](http://www.spec.org/cpu2006/flags/CPU2006_flags.20090714.16.html)

You can also download the XML flags source by saving the following link:

[http://www.spec.org/cpu2006/flags/CPU2006\\_flags.20090714.16.xml](http://www.spec.org/cpu2006/flags/CPU2006_flags.20090714.16.xml)

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.  
For other inquiries, please contact [webmaster@spec.org](mailto:webmaster@spec.org).

Tested with SPEC CPU2006 v1.0.  
Report generated on Tue Jul 22 11:00:32 2014 by SPEC CPU2006 PS/PDF formatter v6932.  
Originally published on 12 June 2007.