SPEC® CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Intel Corporation

Lenovo ThinkPad T61 (Intel Core 2 Duo T7800)

SPECint®_rate2006 = 28.8

SPECint_rate_base2006 = 26.8

CPU2006 license: 13
Test sponsor: Intel Corporation
Tested by: Intel Corporation

Test date: Dec-2007
Hardware Availability: Jan-2008
Software Availability: Nov-2007



Hardware

CPU Name:	Intel Core 2 Duo T7800
CPU Characteristics:	
CPU MHz:	2600
FPU:	Integrated
CPU(s) enabled:	2 cores, 1 chip, 2 cores/chip
CPU(s) orderable:	1 chip
Primary Cache:	32 KB I + 32 KB D on chip per core
Secondary Cache:	4 MB I+D on chip per chip
L3 Cache:	None
Other Cache:	None
Memory:	2 GB (2x1GB Hynix DDR2-667 CL5)
Disk Subsystem:	Hitachi 100 GB SATA, 7200 RPM
Other Hardware:	None

Software

Operating System:	Windows Vista Ultimate (32-bit)
Compiler:	Intel C++ Compiler for IA32 version 10.1 Build 20070913 Package ID: w_cc_p_10.1.011 Microsoft Visual Studio 2005 SP1 (for libraries)
Auto Parallel:	Yes
File System:	NTFS
System State:	Default
Base Pointers:	32-bit
Peak Pointers:	32-bit
Other Software:	None SmartHeap Library Version 8.1 from http://www.microquill.com/

SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

Intel Corporation

Lenovo ThinkPad T61 (Intel Core 2 Duo T7800)

SPECint_rate2006 = 28.8

SPECint_rate_base2006 = 26.8

CPU2006 license: 13
Test sponsor: Intel Corporation
Tested by: Intel Corporation

Test date: Dec-2007
Hardware Availability: Jan-2008
Software Availability: Nov-2007

Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	2	668	29.3	701	27.9	**699**	**28.0**	2	475	41.2	476	41.1	**475**	**41.1**
401.bzip2	2	897	21.5	848	22.8	**848**	**22.8**	2	814	23.7	**814**	**23.7**	845	22.8
403.gcc	2	959	16.8	**961**	**16.8**	1001	16.1	2	**943**	**17.1**	944	17.1	942	17.1
429.mcf	2	598	30.5	**600**	**30.4**	600	30.4	2	603	30.2	**603**	**30.2**	615	29.6
445.gobmk	2	**631**	**33.2**	631	33.3	632	33.2	2	**575**	**36.5**	576	36.4	575	36.5
456.hmmer	2	888	21.0	954	19.6	**953**	**19.6**	2	**894**	**20.9**	834	22.4	897	20.8
458.sjeng	2	812	29.8	815	29.7	**814**	**29.7**	2	719	33.6	**719**	**33.6**	720	33.6
462.libquantum	2	1280	32.4	**1283**	**32.3**	1285	32.2	1	**722**	**28.7**	722	28.7	721	28.7
464.h264ref	2	850	52.0	852	51.9	**852**	**51.9**	2	**805**	**55.0**	805	55.0	805	55.0
471.omnetpp	2	628	19.9	**629**	**19.9**	630	19.9	2	589	21.2	**588**	**21.3**	588	21.3
473.astar	2	661	21.2	663	21.2	**663**	**21.2**	2	**609**	**23.0**	610	23.0	609	23.1
483.xalancbmk	2	420	32.8	454	30.4	**454**	**30.4**	2	**416**	**33.2**	416	33.2	416	33.2

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

General Notes

```
The system bus runs at 800 MHz
Binaries were built on Windows Vista (32-bit)
The following VS 2005 SP1 updates were applied: KB926601 and KB932232
OMP_NUM_THREADS set to number of cores
KMP_AFFINITY set to physical,0
```

Base Compiler Invocation

C benchmarks:

```
icl -Qvc8 -Qc99
```

C++ benchmarks:

```
icl -Qvc8
```

Base Portability Flags

403.gcc: `-DSPEC_CPU_WIN32`
464.h264ref: `-DSPEC_CPU_NO_INTTYPES -DWIN32`
483.xalancbmk: `-Qoption,cpp,--no_wchar_t_keyword`

Base Optimization Flags

C benchmarks:
```
-fast -Qvec-guard-write /F512000000
```

C++ benchmarks:
```
-fast -Qcxx_features /F512000000 shlw32m.lib
            -link /FORCE:MULTIPLE
```

Base Other Flags

C benchmarks:

403.gcc: `-Dalloca=_alloca`

Peak Compiler Invocation

C benchmarks:
```
icl -Qvc8 -Qc99
```

C++ benchmarks:
```
icl -Qvc8
```

Peak Portability Flags

403.gcc: `-DSPEC_CPU_WIN32`
464.h264ref: `-DSPEC_CPU_NO_INTTYPES -DWIN32`
483.xalancbmk: `-Qoption,cpp,--no_wchar_t_keyword`

Peak Optimization Flags

C benchmarks:

400.perlbench: `-Qprof_gen`(pass 1) `-Qprof_use`(pass 2) `-fast -Qansi-alias -Qprefetch /F512000000 shlw32m.lib -link /FORCE:MULTIPLE`

401.bzip2: `-Qprof_gen`(pass 1) `-Qprof_use`(pass 2) `-fast -Qprefetch /F512000000`

403.gcc: `-Qprof_gen`(pass 1) `-Qprof_use`(pass 2) `-fast /F512000000`

429.mcf: `-Qprof_gen`(pass 1) `-Qprof_use`(pass 2) `-fast -Qprefetch /F512000000 shlw32m.lib -link /FORCE:MULTIPLE`

Continued on next page

Peak Optimization Flags (Continued)

445.gobmk: -Qprof_gen(pass 1) -Qprof_use(pass 2) -QxT -O2 -Qipo -Qprec-div- -Qansi-alias /F512000000

456.hmmer: -Qprof_gen(pass 1) -Qprof_use(pass 2) -fast -Qunroll2 -Qansi-alias -Qopt-multi-version-aggressive /F512000000

458.sjeng: -Qprof_gen(pass 1) -Qprof_use(pass 2) -fast -Qunroll4 /F512000000

462.libquantum: -fast -Qunroll4 -Ob0 -Qprefetch -Qopt-streaming-stores:always -Qparallel -Qpar-runtime-control /F512000000

464.h264ref: -Qprof_gen(pass 1) -Qprof_use(pass 2) -fast -Qunroll2 -Qansi-alias /F512000000

C++ benchmarks:

471.omnetpp: -Qprof_gen(pass 1) -Qprof_use(pass 2) -fast -Qansi-alias -Qopt-ra-region-strategy=block -Qcxx_features /F512000000 shlw32m.lib -link /FORCE:MULTIPLE

473.astar: -Qprof_gen(pass 1) -Qprof_use(pass 2) -fast -Qansi-alias -Qopt-ra-region-strategy=routine -Qcxx_features /F512000000 shlw32m.lib -link /FORCE:MULTIPLE

483.xalancbmk: -Qprof_gen(pass 1) -Qprof_use(pass 2) -fast -Qansi-alias -Qcxx_features /F512000000 shlw32m.lib -link /FORCE:MULTIPLE

Peak Other Flags

C benchmarks:

403.gcc: -Dalloca=_alloca

The flags file that was used to format this result can be browsed at
http://www.spec.org/cpu2006/flags/Intel-ic10-ia32-intel64-linux-flags.20090714.09.html

You can also download the XML flags source by saving the following link:
http://www.spec.org/cpu2006/flags/Intel-ic10-ia32-intel64-linux-flags.20090714.09.xml

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.0.
Report generated on Tue Jul 22 16:04:35 2014 by SPEC CPU2006 PS/PDF formatter v6932.
Originally published on 23 January 2008.