



SPEC[®] CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp[®]_rate2006 = 248

IBM Power 710 Express (3.55 GHz, 8 core)

SPECfp_rate_base2006 = 229

CPU2006 license: 11


Test date: Aug-2010

Test sponsor: IBM Corporation

Hardware Availability: Sep-2010

Tested by: IBM Corporation

Software Availability: Sep-2010



Hardware

CPU Name: POWER7
 CPU Characteristics: Intelligent Energy Optimization enabled, up to 3.86 GHz
 CPU MHz: 3556
 FPU: Integrated
 CPU(s) enabled: 8 cores, 1 chip, 8 cores/chip, 4 threads/core
 CPU(s) orderable: 8 cores
 Primary Cache: 32 KB I + 32 KB D on chip per core

Continued on next page

Software

Operating System: IBM AIX V7.1
 Compiler: IBM XL C/C++ for AIX, V11.1
 Version: 11.01.0000.0002
 IBM XL Fortran for AIX, V13.1
 Version: 13.01.0000.0002
 Auto Parallel: No
 File System: AIX/JFS2
 System State: Multi-user

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = **248**

IBM Power 710 Express (3.55 GHz, 8 core)

SPECfp_rate_base2006 = **229**

CPU2006 license: 11
Test sponsor: IBM Corporation
Tested by: IBM Corporation

Test date: Aug-2010
Hardware Availability: Sep-2010
Software Availability: Sep-2010

Secondary Cache: 256 KB I+D on chip per core
L3 Cache: 4 MB I+D on chip per core
Other Cache: None
Memory: 64 GB (8x8 GB) DDR3 1066 MHz
Disk Subsystem: 2x146.8 GB SAS SFF 15K RPM
Other Hardware: None

Base Pointers: 32-bit
Peak Pointers: 32/64-bit
Other Software: None

Results Table

Benchmark	Base								Peak							
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio		
410.bwaves	32	2110	206	2114	206	<u>2111</u>	<u>206</u>	32	2110	206	2114	206	<u>2111</u>	<u>206</u>		
416.gamess	32	<u>2527</u>	<u>248</u>	2534	247	2506	250	32	<u>2348</u>	<u>267</u>	2348	267	2337	268		
433.milc	32	1530	192	1541	191	<u>1541</u>	<u>191</u>	8	374	196	373	197	<u>373</u>	<u>197</u>		
434.zeusmp	32	<u>1099</u>	<u>265</u>	1093	267	1102	264	32	1024	284	<u>1025</u>	<u>284</u>	1036	281		
435.gromacs	32	1018	224	<u>1021</u>	<u>224</u>	1024	223	32	<u>854</u>	<u>267</u>	864	265	846	270		
436.cactusADM	32	<u>1220</u>	<u>313</u>	1220	313	1219	314	16	492	389	491	390	<u>492</u>	<u>389</u>		
437.leslie3d	32	2288	131	<u>2311</u>	<u>130</u>	2312	130	8	518	145	<u>518</u>	<u>145</u>	515	146		
444.namd	32	<u>781</u>	<u>329</u>	784	328	780	329	32	<u>763</u>	<u>336</u>	768	334	763	336		
447.dealII	32	<u>661</u>	<u>554</u>	658	556	662	553	32	<u>656</u>	<u>558</u>	659	555	653	561		
450.soplex	32	2071	129	<u>2077</u>	<u>128</u>	2091	128	8	433	154	<u>427</u>	<u>156</u>	427	156		
453.povray	32	598	285	<u>600</u>	<u>284</u>	600	284	32	557	306	570	299	<u>563</u>	<u>302</u>		
454.calculix	32	1112	237	1101	240	<u>1111</u>	<u>238</u>	32	1057	250	1054	251	<u>1056</u>	<u>250</u>		
459.GemsFDTD	32	3139	108	<u>3138</u>	<u>108</u>	3137	108	8	775	110	772	110	<u>774</u>	<u>110</u>		
465.tonto	32	1322	238	<u>1324</u>	<u>238</u>	1333	236	16	512	307	<u>511</u>	<u>308</u>	510	309		
470.lbm	32	<u>1509</u>	<u>291</u>	1511	291	1503	293	32	<u>1509</u>	<u>291</u>	1511	291	1503	293		
481.wrf	32	<u>1533</u>	<u>233</u>	1537	232	1527	234	32	<u>1533</u>	<u>233</u>	1537	232	1527	234		
482.sphinx3	32	<u>3063</u>	<u>204</u>	3064	204	3060	204	8	<u>700</u>	<u>223</u>	696	224	701	222		

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Peak Tuning Notes

```

fdpr binary optimization tool used for:
  450.soplex
  with options -O4 -sdp 9 -vrox -kr -m power7
fdpr binary optimization tool used for:
  433.milc 435.gromacs 444.namd
  with options -O3 -lu -1 -nodp -sdp 9 -m power7
fdpr binary optimization tool used for 434.zeusmp
  with options -RD -O4 -sdp 9 -vrox -nodp -m power7
fdpr binary optimization tool used for 436.cactusADM
  with options -O3 -m power7
fdpr binary optimization tool used for:
  437.leslie3d 453.povray 454.calculix
  with options -O4 -sdp 9 -vrox -rtb -nodp -m power7

```

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = 248

IBM Power 710 Express (3.55 GHz, 8 core)

SPECfp_rate_base2006 = 229

CPU2006 license: 11

Test sponsor: IBM Corporation

Tested by: IBM Corporation

Test date: Aug-2010

Hardware Availability: Sep-2010

Software Availability: Sep-2010

Peak Tuning Notes (Continued)

fdpr binary optimization tool used for 447.dealII
with options -O4 -sdp 9 -vrox -m power7 -RD -dp
fdpr binary optimization tool used for 482.sphinx3
with options -O4 -nodp -m power7 -vrox

Submit Notes

The config file option 'submit' was used
to assign benchmark copy to specific kernel thread using
the "bindprocessor" command (see flags file for details).

Operating System Notes

Environment variables set by runspec before the start of the run:

```
MALLOCOPTIONS = "pool"  
MEMORY_AFFINITY = "MCM"  
XLFRTOPTIONS = "intrinthds=1"
```

All ulimits set to unlimited.
6400 16M large pages defined with vmo command

See the flags file for details on settings.

Base Compiler Invocation

C benchmarks:

```
/usr/vac/bin/xlc -qlanglvl=extc99
```

C++ benchmarks:

```
/usr/vacpp/bin/xlC
```

Fortran benchmarks:

```
/usr/bin/xlf95
```

Benchmarks using both Fortran and C:

```
/usr/vac/bin/xlc -qlanglvl=extc99 /usr/bin/xlf95
```

Base Portability Flags

```
410.bwaves: -qfixed  
416.gamess: -qfixed  
434.zeusmp: -qfixed  
435.gromacs: -qfixed -qextname  
436.cactusADM: -qfixed -qextname  
437.leslie3d: -qfixed
```

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = 248

IBM Power 710 Express (3.55 GHz, 8 core)

SPECfp_rate_base2006 = 229

CPU2006 license: 11

Test date: Aug-2010

Test sponsor: IBM Corporation

Hardware Availability: Sep-2010

Tested by: IBM Corporation

Software Availability: Sep-2010

Base Portability Flags (Continued)

454.calculix: -qfixed -qextname
481.wrf: -DSPEC_CPU_AIX -DNOUNDERSCORE
482.sphinx3: -qchars=signed

Base Optimization Flags

C benchmarks:

-qipa=threads -bmaxdata:0x40000000 -O5 -qlargepage -O4 -D_ILS_MACROS
-blpdata

C++ benchmarks:

-qipa=threads -bmaxdata:0x50000000 -O5 -qlargepage -O4 -D_ILS_MACROS
-qrtti=all -D__IBM_FAST_VECTOR -D__IBM_FAST_SET_MAP_ITERATOR -blpdata

Fortran benchmarks:

-qipa=threads -bmaxdata:0x60000000 -O5 -qlargepage -O4
-qsmallstack=dynlenonheap -qalias=nostd -blpdata

Benchmarks using both Fortran and C:

-qipa=threads -bmaxdata:0x60000000 -O5 -qlargepage -O4 -D_ILS_MACROS
-qsmallstack=dynlenonheap -qalias=nostd -blpdata

Base Other Flags

C benchmarks:

-qipa=noobject -qsuppress=1500-036

C++ benchmarks:

-qipa=noobject -qsuppress=1500-036

Fortran benchmarks:

-qipa=noobject -qsuppress=1500-010 -qsuppress=cmpmsg
-qsuppress=1500-036

Benchmarks using both Fortran and C:

-qipa=noobject -qsuppress=1500-010 -qsuppress=cmpmsg
-qsuppress=1500-036

Peak Compiler Invocation

C benchmarks:

/usr/vac/bin/xlc -qlanglvl=extc99

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = 248

IBM Power 710 Express (3.55 GHz, 8 core)

SPECfp_rate_base2006 = 229

CPU2006 license: 11

Test date: Aug-2010

Test sponsor: IBM Corporation

Hardware Availability: Sep-2010

Tested by: IBM Corporation

Software Availability: Sep-2010

Peak Compiler Invocation (Continued)

C++ benchmarks:

/usr/vacpp/bin/xlC

Fortran benchmarks:

/usr/bin/xlf95

Benchmarks using both Fortran and C:

/usr/vac/bin/xlc -qlanglvl=extc99 /usr/bin/xlf95

Peak Portability Flags

410.bwaves: -qfixed
 416.gamess: -qfixed
 434.zeusmp: -qfixed
 435.gromacs: -qfixed -qextname
 436.cactusADM: -qfixed -qextname -DSPEC_CPU_LP64
 437.leslie3d: -qfixed
 454.calculix: -qfixed -qextname
 481.wrf: -DSPEC_CPU_AIX -DNOUNDERSCORE
 482.sphinx3: -qchars=signed

Peak Optimization Flags

C benchmarks:

433.milc: -qipa=threads -bmaxdata:0x40000000 -O5 -qsimd -qvecnvoll
-qlargepage -D_ILS_MACROS -qrestrict -qprefetch=aggressive
-qalign=natural -blpdata -btextpsize:64K

470.lbm: basepeak = yes

482.sphinx3: -qipa=threads -qpdf1(pass 1) -qpdf2(pass 2) -O4
-qlargepage -D_ILS_MACROS -blpdata -btextpsize:64K

C++ benchmarks:

444.namd: -qipa=threads -qpdf1(pass 1) -qpdf2(pass 2) -O5 -qsimd
-qvecnvoll -qlargepage -D_ILS_MACROS -blpdata
-btextpsize:64K

447.deallI: -qipa=threads -bmaxdata:0x50000000 -O4 -D_ILS_MACROS
-qrtti=all -D__IBM_FAST_VECTOR -D__IBM_FAST_SET_MAP_ITERATOR
-blpdata -btextpsize:64K

450.soplex: -bmaxdata:0x40000000 -qpdf1(pass 1) -qpdf2(pass 2) -O3
-qarch=auto -qtune=auto -q64 -qlargepage -D_ILS_MACROS
-blpdata -btextpsize:64K

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = 248

IBM Power 710 Express (3.55 GHz, 8 core)

SPECfp_rate_base2006 = 229

CPU2006 license: 11

Test date: Aug-2010

Test sponsor: IBM Corporation

Hardware Availability: Sep-2010

Tested by: IBM Corporation

Software Availability: Sep-2010

Peak Optimization Flags (Continued)

453.povray: -qipa=threads -qpdf1(pass 1) -qpdf2(pass 2) -O5 -q64
-qsimd -qvecnv1 -qlargepage -D_ILS_MACROS -qalign=natural
-bdatapsize:64K -bstacksize:64K -btextsize:64K

Fortran benchmarks:

410.bwaves: basepeak = yes

416.gamess: -qipa=threads -bmaxdata:0x40000000 -qpdf1(pass 1)
-qpdf2(pass 2) -O5 -qsimd -qvecnv1 -qarch=pwr5
-qlargepage -qalias=nostd -blpdata -btextsize:64K

434.zeusmp: -bmaxdata:0x40000000 -qpdf1(pass 1) -qpdf2(pass 2) -O3
-qarch=auto -qtune=auto -qlargepage -qxlf90=nosignedzero
-blpdata -btextsize:64K

437.leslie3d: -qpdf1(pass 1) -qpdf2(pass 2) -O3 -qarch=auto -qtune=auto
-q64 -blpdata -btextsize:64K

459.GemsFDTD: -bmaxdata:0x50000000 -O3 -qarch=auto -qtune=auto
-qlargepage -blpdata -btextsize:64K

465.tonto: -qipa=threads -bmaxdata:0x50000000 -qpdf1(pass 1)
-qpdf2(pass 2) -O5 -qsimd -qvecnv1 -blpdata
-btextsize:64K

Benchmarks using both Fortran and C:

435.gromacs: -qipa=threads -qpdf1(pass 1) -qpdf2(pass 2) -O4 -qsimd
-qvecnv1 -D_ILS_MACROS -blpdata -btextsize:64K

436.cactusADM: -qipa=threads -O4 -q64 -qsimd -qvecnv1 -D_ILS_MACROS
-qnostrict -blpdata -btextsize:64K

454.calculix: -qipa=threads -O5 -qsimd -qvecnv1 -qlargepage
-D_ILS_MACROS -blpdata -btextsize:64K

481.wrf: basepeak = yes

Peak Other Flags

C benchmarks:

-qipa=noobject -qsuppress=1500-036

C++ benchmarks (except as noted below):

-qipa=noobject -qsuppress=1500-036

Continued on next page



SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp_rate2006 = 248

IBM Power 710 Express (3.55 GHz, 8 core)

SPECfp_rate_base2006 = 229

CPU2006 license: 11

Test date: Aug-2010

Test sponsor: IBM Corporation

Hardware Availability: Sep-2010

Tested by: IBM Corporation

Software Availability: Sep-2010

Peak Other Flags (Continued)

450.soplex: -qsuppress=1500-036

Fortran benchmarks (except as noted below):

-qsuppress=1500-010 -qsuppress=cmpmsg -qsuppress=1500-036

410.bwaves: -qipa=noobject -qsuppress=1500-010 -qsuppress=cmpmsg
-qsuppress=1500-036

416.gamess: -qipa=noobject -qsuppress=1500-010 -qsuppress=cmpmsg
-qsuppress=1500-036

465.tonto: -qipa=noobject -qsuppress=1500-010 -qsuppress=cmpmsg
-qsuppress=1500-036

Benchmarks using both Fortran and C:

-qipa=noobject -qsuppress=1500-010 -qsuppress=cmpmsg
-qsuppress=1500-036

The flags files that were used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/IBM-XL.20100901.html>

<http://www.spec.org/cpu2006/flags/IBM-AIX.20100303.html>

You can also download the XML flags sources by saving the following links:

<http://www.spec.org/cpu2006/flags/IBM-XL.20100901.xml>

<http://www.spec.org/cpu2006/flags/IBM-AIX.20100303.xml>

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.
For other inquiries, please contact webmaster@spec.org.

Tested with SPEC CPU2006 v1.1.

Report generated on Wed Jul 23 12:06:25 2014 by SPEC CPU2006 PS/PDF formatter v6932.

Originally published on 31 August 2010.