



# SPEC<sup>®</sup> CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

## IBM Corporation

SPECfp<sup>®</sup>\_rate2006 = 985

### IBM Power 750 Express (3.61 GHz, 32 core)

SPECfp\_rate\_base2006 = 909

CPU2006 license: 11


Test date: Mar-2011

Test sponsor: IBM Corporation

Hardware Availability: May-2011

Tested by: IBM Corporation

Software Availability: May-2011



#### Hardware

CPU Name: POWER7  
 CPU Characteristics: Intelligent Energy Optimization enabled, up to 3.86 GHz  
 CPU MHz: 3612  
 FPU: Integrated  
 CPU(s) enabled: 32 cores, 4 chips, 8 cores/chip, 4 threads/core  
 CPU(s) orderable: 8 - 32 cores  
 Primary Cache: 32 KB I + 32 KB D on chip per core

Continued on next page

#### Software

Operating System: IBM AIX V7.1 with Service Pack 3  
 Compiler: IBM XL C/C++ for AIX, V11.1 Version: 11.01.0000.0005  
 IBM XL Fortran for AIX, V13.1 Version: 13.01.0000.0005  
 Auto Parallel: No  
 File System: AIX/JFS2

Continued on next page



# SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

## IBM Corporation

SPECfp\_rate2006 = **985**

IBM Power 750 Express (3.61 GHz, 32 core)

SPECfp\_rate\_base2006 = **909**

CPU2006 license: 11

Test sponsor: IBM Corporation

Tested by: IBM Corporation

Test date: Mar-2011

Hardware Availability: May-2011

Software Availability: May-2011

Secondary Cache: 256 KB I+D on chip per core  
 L3 Cache: 4 MB I+D on chip per core  
 Other Cache: None  
 Memory: 256 GB (32 x 8 GB) DDR3 1066 MHz  
 Disk Subsystem: 6 x 146.8 GB Raid0 SAS SFF 15K RPM  
 Other Hardware: None

System State: Multi-user  
 Base Pointers: 32-bit  
 Peak Pointers: 32/64-bit  
 Other Software: None

## Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
410.bwaves	128	2125	819	<b><u>2127</u></b>	<b><u>818</u></b>	2130	817	128	2125	819	<b><u>2127</u></b>	<b><u>818</u></b>	2130	817
416.gamess	128	<b><u>2478</u></b>	<b><u>1010</u></b>	2476	1010	2486	1010	128	2277	1100	2265	1110	<b><u>2273</u></b>	<b><u>1100</u></b>
433.milc	128	1537	765	1541	762	<b><u>1540</u></b>	<b><u>763</u></b>	32	376	780	376	782	<b><u>376</u></b>	<b><u>782</u></b>
434.zeusmp	128	1117	1040	1104	1060	<b><u>1112</u></b>	<b><u>1050</u></b>	64	<b><u>544</u></b>	<b><u>1070</u></b>	517	1130	546	1070
435.gromacs	128	1104	828	1111	823	<b><u>1108</u></b>	<b><u>824</u></b>	128	868	1050	852	1070	<b><u>859</u></b>	<b><u>1060</u></b>
436.cactusADM	128	<b><u>1174</u></b>	<b><u>1300</u></b>	1176	1300	1170	1310	128	1001	1530	1007	1520	<b><u>1002</u></b>	<b><u>1530</u></b>
437.leslie3d	128	2298	524	2326	517	<b><u>2325</u></b>	<b><u>517</u></b>	32	539	558	541	556	<b><u>540</u></b>	<b><u>557</u></b>
444.namd	128	793	1300	<b><u>796</u></b>	<b><u>1290</u></b>	796	1290	128	<b><u>743</u></b>	<b><u>1380</u></b>	742	1380	747	1370
447.dealII	128	689	2120	<b><u>688</u></b>	<b><u>2130</u></b>	684	2140	128	<b><u>676</u></b>	<b><u>2160</u></b>	677	2160	672	2180
450.soplex	128	2083	512	<b><u>2075</u></b>	<b><u>515</u></b>	2056	519	64	1035	515	<b><u>1035</u></b>	<b><u>516</u></b>	1034	516
453.povray	128	599	1140	596	1140	<b><u>599</u></b>	<b><u>1140</u></b>	128	<b><u>444</u></b>	<b><u>1530</u></b>	443	1540	449	1520
454.calculix	128	<b><u>1095</u></b>	<b><u>965</u></b>	1087	972	1102	958	128	1034	1020	<b><u>1022</u></b>	<b><u>1030</u></b>	998	1060
459.GemsFDTD	128	<b><u>3130</u></b>	<b><u>434</u></b>	3131	434	3130	434	128	<b><u>3130</u></b>	<b><u>434</u></b>	3131	434	3130	434
465.tonto	128	1296	972	<b><u>1297</u></b>	<b><u>971</u></b>	1298	970	128	967	1300	<b><u>969</u></b>	<b><u>1300</u></b>	972	1300
470.lbm	128	<b><u>1520</u></b>	<b><u>1160</u></b>	1519	1160	1529	1150	128	<b><u>1520</u></b>	<b><u>1160</u></b>	1519	1160	1529	1150
481.wrf	128	<b><u>1619</u></b>	<b><u>883</u></b>	1614	886	1621	882	128	<b><u>1619</u></b>	<b><u>883</u></b>	1614	886	1621	882
482.sphinx3	128	3097	806	3104	804	<b><u>3100</u></b>	<b><u>805</u></b>	128	<b><u>3077</u></b>	<b><u>811</u></b>	3069	813	3079	810

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

## Peak Tuning Notes

fdpr binary optimization tool used for:  
 433.milc with options:  
 -O4 -nodp -m power7  
 434.zeusmp with options:  
 -O4 -vrox -nodp -m power7  
 436.cactusADM 450.soplex with options:  
 -O3 -lu -l -nodp -sdp 9 -m power7  
 437.leslie3d with options:  
 -O4 -vrox -m power7  
 465.tonto with options:  
 -O4 -m power7  
 482.sphinx3 with options:  
 -O4 -sdp 9 -vrox -m power7



# SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp\_rate2006 = 985

IBM Power 750 Express (3.61 GHz, 32 core)

SPECfp\_rate\_base2006 = 909

CPU2006 license: 11

Test date: Mar-2011

Test sponsor: IBM Corporation

Hardware Availability: May-2011

Tested by: IBM Corporation

Software Availability: May-2011

## Submit Notes

The config file option 'submit' was used to assign benchmark copy to specific kernel thread using the "bindprocessor" command (see flags file for details).

## Operating System Notes

All ulimits set to unlimited.

12800 16M large pages defined with vmo command

## General Notes

Environment variables set by runspec before the start of the run:

```
MALLOCOPTIONS = "pool"  
MEMORY_AFFINITY = "MCM"  
XLFRTEOPTS = "intrinthds=1"
```

The "IBM Power 750 Express (3.61 GHz)" and the "IBM Power 755 (3.61 GHz)" are electronically equivalent. The results have been measured on the "IBM Power Express 750 (3.61 GHz)".

## Base Compiler Invocation

C benchmarks:

```
/usr/vac/bin/xlc -qlanglvl=extc99
```

C++ benchmarks:

```
/usr/vacpp/bin/xlC
```

Fortran benchmarks:

```
/usr/bin/xlf95
```

Benchmarks using both Fortran and C:

```
/usr/vac/bin/xlc -qlanglvl=extc99 /usr/bin/xlf95
```

## Base Portability Flags

```
410.bwaves: -qfixed  
416.gamess: -qfixed  
434.zeusmp: -qfixed  
435.gromacs: -qfixed -qextname  
436.cactusADM: -qfixed -qextname  
437.leslie3d: -qfixed  
454.calculix: -qfixed -qextname  
481.wrf: -DSPEC_CPU_AIX -DNOUNDERSCORE
```

Continued on next page



# SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp\_rate2006 = 985

IBM Power 750 Express (3.61 GHz, 32 core)

SPECfp\_rate\_base2006 = 909

CPU2006 license: 11

Test date: Mar-2011

Test sponsor: IBM Corporation

Hardware Availability: May-2011

Tested by: IBM Corporation

Software Availability: May-2011

## Base Portability Flags (Continued)

482.sphinx3: -qchars=signed

## Base Optimization Flags

C benchmarks:

-qipa=threads -bmaxdata:0x40000000 -qlargepage -O5 -D\_ILS\_MACROS  
-blpdata

C++ benchmarks:

-qipa=threads -bmaxdata:0x50000000 -qlargepage -O5 -qsimd -qvecnvml  
-D\_ILS\_MACROS -qrtti=all -D\_\_IBM\_FAST\_VECTOR  
-D\_\_IBM\_FAST\_SET\_MAP\_ITERATOR -blpdata

Fortran benchmarks:

-qipa=threads -bmaxdata:0x60000000 -qlargepage -O5  
-qsmallstack=dynlenonheap -qalias=nostd -blpdata

Benchmarks using both Fortran and C:

-qipa=threads -bmaxdata:0x60000000 -qlargepage -O5 -D\_ILS\_MACROS  
-qsmallstack=dynlenonheap -qalias=nostd -blpdata

## Base Other Flags

C benchmarks:

-qipa=noobject -qsuppress=1500-036

C++ benchmarks:

-qipa=noobject -qsuppress=1500-036

Fortran benchmarks:

-qipa=noobject -qsuppress=1500-010 -qsuppress=cmpmsg  
-qsuppress=1500-036

Benchmarks using both Fortran and C:

-qipa=noobject -qsuppress=1500-010 -qsuppress=cmpmsg  
-qsuppress=1500-036

## Peak Compiler Invocation

C benchmarks:

/usr/vac/bin/xlc -qlanglvl=extc99

C++ benchmarks:

/usr/vacpp/bin/xlC

Continued on next page



# SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp\_rate2006 = 985

IBM Power 750 Express (3.61 GHz, 32 core)

SPECfp\_rate\_base2006 = 909

CPU2006 license: 11

Test date: Mar-2011

Test sponsor: IBM Corporation

Hardware Availability: May-2011

Tested by: IBM Corporation

Software Availability: May-2011

## Peak Compiler Invocation (Continued)

Fortran benchmarks:

/usr/bin/xlf95

Benchmarks using both Fortran and C:

/usr/vac/bin/xlc -qlanglvl=extc99 /usr/bin/xlf95

## Peak Portability Flags

410.bwaves: -qfixed  
 416.gamess: -qfixed  
 434.zeusmp: -qfixed  
 435.gromacs: -qfixed -qextname  
 436.cactusADM: -qfixed -qextname  
 437.leslie3d: -qfixed  
 454.calculix: -qfixed -qextname  
 481.wrf: -DSPEC\_CPU\_AIX -DNOUNDERSCORE  
 482.sphinx3: -qchars=signed

## Peak Optimization Flags

C benchmarks:

433.milc: -qipa=threads -bmaxdata:0x40000000 -O5 -qlargepage  
 -D\_ILS\_MACROS -qrestrict -qprefetch=aggressive  
 -qalign=natural -blpdata -btextpsize:64K

470.lbm: basepeak = yes

482.sphinx3: -qipa=threads -qpdf1(pass 1) -qpdf2(pass 2) -O5  
 -qlargepage -D\_ILS\_MACROS -blpdata -btextpsize:64K

C++ benchmarks:

444.namd: -qipa=threads -qpdf1(pass 1) -qpdf2(pass 2) -O5 -q64  
 -qsimd -qvecnvol -qlargepage -D\_ILS\_MACROS -blpdata  
 -btextpsize:64K

447.dealII: -qipa=threads -bmaxdata:0x50000000 -qpdf1(pass 1)  
 -qpdf2(pass 2) -O4 -qsimd -qvecnvol -D\_ILS\_MACROS  
 -qrtti=all -D\_\_IBM\_FAST\_VECTOR -D\_\_IBM\_FAST\_SET\_MAP\_ITERATOR  
 -blpdata -btextpsize:64K

450.soplex: -qpdf1(pass 1) -qpdf2(pass 2) -O4 -q64 -qlargepage  
 -D\_ILS\_MACROS -blpdata -btextpsize:64K

Continued on next page



# SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp\_rate2006 = 985

IBM Power 750 Express (3.61 GHz, 32 core)

SPECfp\_rate\_base2006 = 909

CPU2006 license: 11

Test date: Mar-2011

Test sponsor: IBM Corporation

Hardware Availability: May-2011

Tested by: IBM Corporation

Software Availability: May-2011

## Peak Optimization Flags (Continued)

453.povray: -qipa=threads -qpdf1(pass 1) -qpdf2(pass 2) -O4 -qsimd  
-qvecnv ol -qlargepage -D\_ILS\_MACROS -qalign=natural  
-blpdata -btextpsize:64K

Fortran benchmarks:

410.bwaves: basepeak = yes

416.gamess: -qipa=threads -bmaxdata:0x40000000 -qpdf1(pass 1)  
-qpdf2(pass 2) -O5 -qarch=pwr5 -qlargepage -qalias=nostd  
-blpdata -btextpsize:64K

434.zeusmp: -bmaxdata:0x40000000 -O3 -qarch=auto -qtune=auto  
-qlargepage -qxlf90=nosignedzero -blpdata -btextpsize:64K

437.leslie3d: -O5 -q64 -blpdata -btextpsize:64K

459.GemsFDTD: basepeak = yes

465.tonto: -qipa=threads -bmaxdata:0x50000000 -qpdf1(pass 1)  
-qpdf2(pass 2) -O5 -qsimd -qvecnv ol -blpdata  
-btextpsize:64K

Benchmarks using both Fortran and C:

435.gromacs: -qipa=threads -qpdf1(pass 1) -qpdf2(pass 2) -O4 -qsimd  
-qvecnv ol -D\_ILS\_MACROS -blpdata -btextpsize:64K

436.cactusADM: -qipa=threads -bmaxdata:0x60000000 -O4 -qsimd -qvecnv ol  
-D\_ILS\_MACROS -qnostrict -blpdata -btextpsize:64K

454.calculix: -qipa=threads -qpdf1(pass 1) -qpdf2(pass 2) -O5 -qsimd  
-qvecnv ol -qlargepage -D\_ILS\_MACROS -blpdata  
-btextpsize:64K

481.wrf: basepeak = yes

## Peak Other Flags

C benchmarks:

-qipa=noobject -qsuppress=1500-036

C++ benchmarks (except as noted below):

-qipa=noobject -qsuppress=1500-036

450.soplex: -qsuppress=1500-036

Continued on next page



# SPEC CFP2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

IBM Corporation

SPECfp\_rate2006 = 985

IBM Power 750 Express (3.61 GHz, 32 core)

SPECfp\_rate\_base2006 = 909

CPU2006 license: 11

Test date: Mar-2011

Test sponsor: IBM Corporation

Hardware Availability: May-2011

Tested by: IBM Corporation

Software Availability: May-2011

## Peak Other Flags (Continued)

Fortran benchmarks (except as noted below):

-qipa=noobject -qsuppress=1500-010 -qsuppress=cmpmsg  
-qsuppress=1500-036

434.zeusmp: -qsuppress=1500-010 -qsuppress=cmpmsg -qsuppress=1500-036

437.leslie3d: -qsuppress=1500-010 -qsuppress=cmpmsg -qsuppress=1500-036

Benchmarks using both Fortran and C:

-qipa=noobject -qsuppress=1500-010 -qsuppress=cmpmsg  
-qsuppress=1500-036

The flags files that were used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/IBM-XL.20100901.html>

<http://www.spec.org/cpu2006/flags/IBM-AIX.20100303.html>

You can also download the XML flags sources by saving the following links:

<http://www.spec.org/cpu2006/flags/IBM-XL.20100901.xml>

<http://www.spec.org/cpu2006/flags/IBM-AIX.20100303.xml>

SPEC and SPECfp are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.  
For other inquiries, please contact [webmaster@spec.org](mailto:webmaster@spec.org).

Tested with SPEC CPU2006 v1.1.

Report generated on Wed Jul 23 18:37:11 2014 by SPEC CPU2006 PS/PDF formatter v6932.

Originally published on 26 April 2011.