



# SPEC® CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

E4 Computer Engineering S.p.A.  
E-Rack 8248, AMD Opteron 6174

SPECint®\_rate2006 = 832  
SPECint\_rate\_base2006 = 725

CPU2006 license: 3106


Test sponsor: E4 Computer Engineering S.p.A.

Tested by: Francesca Tartaglione

Test date: Sep-2011

Hardware Availability: Jun-2010

Software Availability: Jul-2011



## Hardware

CPU Name: AMD Opteron 6174  
 CPU Characteristics: 2200  
 CPU MHz: 2200  
 FPU: Integrated  
 CPU(s) enabled: 48 cores, 4 chips, 12 cores/chip  
 CPU(s) orderable: 2,4 chips  
 Primary Cache: 64 KB I + 64 KB D on chip per core  
 Secondary Cache: 512 KB I+D on chip per core  
 L3 Cache: 12 MB I+D on chip per chip, 6 MB shared / 6 cores  
 Other Cache: None  
 Memory: 256 GB (32 x 8 GB 2Rx4 PC3-10600R-9, ECC)  
 Disk Subsystem: 2 x 1 TB SATA, 7200 RPM  
 Other Hardware: None

## Software

Operating System: Scientific Linux release 6.1,  
 Kernel 2.6.32-131.0.15.el6  
 Compiler: x86 Open64 4.2.5.2 Compiler Suite (from AMD)  
 Auto Parallel: No  
 File System: ext4  
 System State: Run level 3 (multiuser)  
 Base Pointers: 32/64-bit  
 Peak Pointers: 32/64-bit  
 Other Software: SmartHeap 8.1 32-bit Library for Linux



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

E4 Computer Engineering S.p.A.

SPECint\_rate2006 = 832

E-Rack 8248, AMD Opteron 6174

SPECint\_rate\_base2006 = 725

CPU2006 license: 3106

Test date: Sep-2011

Test sponsor: E4 Computer Engineering S.p.A.

Hardware Availability: Jun-2010

Tested by: Francesca Tartaglione

Software Availability: Jul-2011

## Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	48	692	678	1365	344	<b>694</b>	<b>676</b>	48	558	841	<b>558</b>	<b>840</b>	800	586
401.bzip2	48	996	465	1002	462	<b>998</b>	<b>464</b>	48	<b>949</b>	<b>488</b>	948	489	951	487
403.gcc	48	<b>794</b>	<b>486</b>	794	487	799	483	48	635	609	<b>636</b>	<b>608</b>	659	586
429.mcf	48	742	590	754	581	<b>743</b>	<b>589</b>	48	<b>467</b>	<b>938</b>	466	940	473	926
445.gobmk	48	798	631	<b>800</b>	<b>630</b>	801	629	48	<b>725</b>	<b>694</b>	743	678	701	718
456.hammer	48	463	968	<b>464</b>	<b>966</b>	465	963	48	394	1140	<b>390</b>	<b>1150</b>	384	1170
458.sjeng	48	1055	551	918	633	<b>937</b>	<b>620</b>	48	885	656	<b>884</b>	<b>657</b>	884	657
462.libquantum	48	226	4410	226	4400	<b>226</b>	<b>4400</b>	48	<b>227</b>	<b>4370</b>	227	4380	228	4360
464.h264ref	48	1221	870	<b>1223</b>	<b>869</b>	1226	866	48	1015	1050	1034	1030	<b>1019</b>	<b>1040</b>
471.omnetpp	48	668	449	<b>665</b>	<b>451</b>	665	451	48	668	449	<b>665</b>	<b>451</b>	665	451
473.astar	48	725	465	729	462	<b>727</b>	<b>464</b>	48	628	537	627	538	<b>627</b>	<b>537</b>
483.xalancbmk	48	<b>423</b>	<b>783</b>	422	785	424	781	48	<b>406</b>	<b>815</b>	406	816	408	812

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

## Submit Notes

The config file option 'submit' was used.  
'numactl' was used to bind copies to the cores.  
See the configuration file for details.

## Operating System Notes

'ulimit -s unlimited' was used to set environment stack size  
'ulimit -l 2097152' was used to set environment locked pages in memory limit

Set vm/nr\_hugepages=21600 in /etc/sysctl.conf  
mount -t hugetlbfs nodev /mnt/hugepages

## General Notes

Environment variables set by runspec before the start of the run:

HUGETLB\_LIMIT = "450"

LD\_LIBRARY\_PATH = "/opt/amd/lib/gcc-lib/x86\_64-open64-linux/4.2.5.2/64:/opt/amd/lib/gcc-lib/x86\_64-open64-linux/4.2.5.2/32"

The x86 Open64 Compiler Suite is only available from (and supported by) AMD at  
<http://developer.amd.com/cpu/open64>

## Base Compiler Invocation

C benchmarks:  
openc

Continued on next page



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

E4 Computer Engineering S.p.A.

SPECint\_rate2006 = 832

E-Rack 8248, AMD Opteron 6174

SPECint\_rate\_base2006 = 725

CPU2006 license: 3106

Test date: Sep-2011

Test sponsor: E4 Computer Engineering S.p.A.

Hardware Availability: Jun-2010

Tested by: Francesca Tartaglione

Software Availability: Jul-2011

## Base Compiler Invocation (Continued)

C++ benchmarks:  
openCC

## Base Portability Flags

400.perlbench: -DSPEC\_CPU\_LP64 -DSPEC\_CPU\_LINUX\_X64  
401.bzip2: -DSPEC\_CPU\_LP64  
403.gcc: -DSPEC\_CPU\_LP64  
429.mcf: -DSPEC\_CPU\_LP64  
445.gobmk: -DSPEC\_CPU\_LP64  
456.hmmer: -DSPEC\_CPU\_LP64  
458.sjeng: -DSPEC\_CPU\_LP64  
462.libquantum: -DSPEC\_CPU\_LP64 -DSPEC\_CPU\_LINUX  
464.h264ref: -DSPEC\_CPU\_LP64  
483.xalancbmk: -DSPEC\_CPU\_LINUX

## Base Optimization Flags

C benchmarks:  
-march=barcelona -mso -Ofast -CG:local\_sched\_alg=1  
-INLINE:aggressive=on -IPA:plimit=8000 -IPA:small\_pu=100  
-HP:bdt=2m:heap=2m

C++ benchmarks:  
-march=barcelona -mso -Ofast -m32 -INLINE:aggressive=on  
-CG:cmp\_peep=on -L/opt/SmartHeap\_8.1/lib -lsmartheap

## Peak Compiler Invocation

C benchmarks:  
opencc

C++ benchmarks:  
openCC

## Peak Portability Flags

400.perlbench: -DSPEC\_CPU\_LP64 -DSPEC\_CPU\_LINUX\_X64  
401.bzip2: -DSPEC\_CPU\_LP64  
445.gobmk: -DSPEC\_CPU\_LP64  
456.hmmer: -DSPEC\_CPU\_LP64

Continued on next page



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

E4 Computer Engineering S.p.A.

SPECint\_rate2006 = 832

E-Rack 8248, AMD Opteron 6174

SPECint\_rate\_base2006 = 725

CPU2006 license: 3106

Test date: Sep-2011

Test sponsor: E4 Computer Engineering S.p.A.

Hardware Availability: Jun-2010

Tested by: Francesca Tartaglione

Software Availability: Jul-2011

## Peak Portability Flags (Continued)

458.sjeng: -DSPEC\_CPU\_LP64  
 462.libquantum: -DSPEC\_CPU\_LP64 -DSPEC\_CPU\_LINUX  
 464.h264ref: -DSPEC\_CPU\_LP64  
 483.xalancbmk: -DSPEC\_CPU\_LINUX

## Peak Optimization Flags

C benchmarks:

400.perlbench: -march=barcelona -mso -fb\_create fbdata(pass 1)  
 -fb\_opt fbdata(pass 2) -Ofast -IPA:plimit=20000 -LNO:opt=0  
 -OPT:unroll\_times\_max=8 -OPT:unroll\_size=256  
 -OPT:unroll\_level=2 -OPT:keep\_ext=on -WOPT:if\_conv=0  
 -CG:local\_sched\_alg=1 -CG:unroll\_fb\_req=on  
 -HP:bdt=2m:heap=2m

401.bzip2: -march=barcelona -mso -fb\_create fbdata(pass 1)  
 -fb\_opt fbdata(pass 2) -O3 -OPT:alias=disjoint  
 -OPT:goto=off -CG:local\_sched\_alg=1 -HP:bdt=2m:heap=2m

403.gcc: -march=barcelona -mso -fb\_create fbdata(pass 1)  
 -fb\_opt fbdata(pass 2) -Ofast -LNO:trip\_count=256  
 -LNO:prefetch\_ahead=10 -CG:cmp\_peep=on -m32  
 -HP:bdt=2m:heap=2m -GRA:unspill=on -IPA:small\_pu=200

429.mcf: -march=barcelona -mso -O3 -ipa -INLINE:aggressive=on  
 -CG:gcm=off -GRA:prioritize\_by\_density=on -m32  
 -HP:bdt=2m:heap=2m

445.gobmk: -march=barcelona -mso -fb\_create fbdata(pass 1)  
 -fb\_opt fbdata(pass 2) -O3 -OPT:alias=restrict  
 -OPT:unroll\_times\_max=8 -OPT:unroll\_size=256  
 -OPT:unroll\_level=2 -OPT:keep\_ext=on -ipa -IPA:plimit=750  
 -IPA:min\_hotness=300 -IPA:pu\_reorder=1 -LNO:prefetch=1  
 -LNO:ignore\_feedback=off -CG:p2align=on  
 -CG:unroll\_fb\_req=on -HP:bdt=2m:heap=2m

456.hmmer: -march=barcelona -mso -fb\_create fbdata(pass 1)  
 -fb\_opt fbdata(pass 2) -Ofast -LNO:prefetch=0  
 -OPT:alias=disjoint -OPT:unroll\_times\_max=8  
 -OPT:unroll\_size=256 -OPT:unroll\_level=2 -OPT:keep\_ext=on  
 -CG:local\_sched\_alg=1 -CG:cflow=0  
 -CG:push\_pop\_int\_saved\_regs=off -CG:cmp\_peep=on  
 -HP:bdt=2m:heap=2m

458.sjeng: -march=barcelona -mso -fb\_create fbdata(pass 1)  
 -fb\_opt fbdata(pass 2) -O3 -ipa -LNO:ignore\_feedback=off  
 -LNO:full\_unroll=10 -LNO:fusion=0 -LNO:fission=2  
 -IPA:pu\_reorder=2 -CG:ptr\_load\_use=0

Continued on next page



# SPEC CINT2006 Result

Copyright 2006-2014 Standard Performance Evaluation Corporation

E4 Computer Engineering S.p.A.

SPECint\_rate2006 = 832

E-Rack 8248, AMD Opteron 6174

SPECint\_rate\_base2006 = 725

CPU2006 license: 3106

Test date: Sep-2011

Test sponsor: E4 Computer Engineering S.p.A.

Hardware Availability: Jun-2010

Tested by: Francesca Tartaglione

Software Availability: Jul-2011

## Peak Optimization Flags (Continued)

458.sjeng (continued):

-OPT:unroll\_times\_max=8 -INLINE:aggressive=on

462.libquantum:

-march=barcelona -mso -Ofast -LNO:pf2=0 -CG:gcm=off  
-CG:use\_prefetchnta=on -CG:cmp\_peep=on -WOPT:aggstr=0  
-HP:bdt=2m:heap=2m -OPT:alias=disjoint  
-INLINE:aggressive=on -IPA:space=1000 -IPA:plimit=20000

464.h264ref:

-march=barcelona -mso -fb\_create fbdata(pass 1)  
-fb\_opt fbdata(pass 2) -O3 -IPA:plimit=20000  
-OPT:alias=disjoint -LNO:prefetch=0 -CG:ptr\_load\_use=0  
-CG:push\_pop\_int\_saved\_regs=off

C++ benchmarks:

471.omnetpp: basepeak = yes

473.astar:

-march=barcelona -mso -fb\_create fbdata(pass 1)  
-fb\_opt fbdata(pass 2) -Ofast -TENV:frame\_pointer=off  
-WOPT:if\_conv=0 -GRA:optimize\_boundary=on  
-OPT:alias=disjoint -INLINE:aggressive=on  
-IPA:small\_pu=3000 -IPA:plimit=3000 -m32  
-HP:bdt=2m:heap=2m

483.xalancbmk:

-march=barcelona -mso -Ofast -INLINE:aggressive=on -m32  
-CG:cmp\_peep=on -GRA:unspill=on -TENV:frame\_pointer=off  
-fno-emit-exceptions -L/opt/SmartHeap\_8.1/lib -lsmarheap

The flags files that were used to format this result can be browsed at

<http://www.spec.org/cpu2006/flags/x86-open64-423-flags-speed-revA.20101207.html>

<http://www.spec.org/cpu2006/flags/E4ComputerEngineering-amd-platform.html>

You can also download the XML flags sources by saving the following links:

<http://www.spec.org/cpu2006/flags/x86-open64-423-flags-speed-revA.20101207.xml>

<http://www.spec.org/cpu2006/flags/E4ComputerEngineering-amd-platform.xml>

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester.  
For other inquiries, please contact [webmaster@spec.org](mailto:webmaster@spec.org).

Tested with SPEC CPU2006 v1.1.

Report generated on Thu Jul 24 01:41:03 2014 by SPEC CPU2006 PS/PDF formatter v6932.

Originally published on 11 October 2011.