



# CINT2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

**Hewlett-Packard Company**  
ProLiant BL20p G2(3.2GHz/1MB L3 cache, Intel Xeon)

SPECint2000 = 1321  
SPECint\_base2000 = 1242

SPEC license #: 3 Tested by: Hewlett-Packard Company Test date: Sep-2003 Hardware Avail: Dec-2003 Software Avail: Sep-2003

Benchmark	Reference Time	Base Runtime	Base Ratio	Runtime	Ratio	500 1000 1500 2000			
164.gzip	1400	111	1257	111	1258	[Bar chart showing ratio 1258]			
175.vpr	1400	162	867	158	885	[Bar chart showing ratio 885]			
176.gcc	1100	69.0	1595	64.6	1703	[Bar chart showing ratio 1703]			
181.mcf	1800	240	749	228	789	[Bar chart showing ratio 789]			
186.crafty	1000	81.6	1225	81.6	1225	[Bar chart showing ratio 1225]			
197.parser	1800	151	1189	149	1207	[Bar chart showing ratio 1207]			
252.eon	1300	91.9	1415	78.5	1656	[Bar chart showing ratio 1656]			
253.perlbnk	1800	126	1425	118	1525	[Bar chart showing ratio 1525]			
254.gap	1100	67.8	1622	67.6	1627	[Bar chart showing ratio 1627]			
255.vortex	1900	99.1	1918	99.0	1919	[Bar chart showing ratio 1919]			
256.bzip2	1500	157	956	150	1003	[Bar chart showing ratio 1003]			
300.twolf	3000	253	1188	186	1610	[Bar chart showing ratio 1610]			

### Hardware

CPU: Intel Xeon (3.2GHz, 533MHz bus)  
CPU MHz: 3200  
FPU: Integrated  
CPU(s) enabled: 1 core, 1 chip, 1 core/chip (Hyper-Threading disabled)  
CPU(s) orderable: 1,2  
Parallel: No  
Primary Cache: 12K micro-ops I + 8KBD on chip  
Secondary Cache: 512KB(I+D) on chip  
L3 Cache: 1024KB(I+D) on chip  
Other Cache: N/A  
Memory: 4x512MB PC2100  
Disk Subsystem: 2x36.4GB 15K Ultra320 SCSI  
Other Hardware:

### Software

Operating System: Windows 2000 Server(Build 2195 SP3)  
Compiler: Intel C++ Compiler 7.1 Build 20030813Z  
Microsoft Visual Studio .NET 7.0.9466 (for libraries)  
MicroQuill Smartheap Library 7.0  
File System: NTFS  
System State: Default

## Notes/Tuning Information

```
+FDO: PASS1=-Qprof_gen PASS2=-Qprof_use
Base tuning for C programs: -QxW -Qipo -O3 +FDO ONESTEP=yes
Base tuning for C++ programs: -Qipo -GX -GR +FDO ONESTEP=yes
Portability flags:
176.gcc: -Dalloca=_alloca /F10000000
186.crafty: -DNT_i386
253.perlbnk: -DSPEC_CPU2000_NTOS -DPERLDLL /MT
254.gap: -DSYS_HAS_CALLOC_PROTO -DSYS_HAS_MALLOC_PROTO
Peak tuning:
164.gzip: -O3 -QxW -Qipo +FDO ONESTEP=yes
175.vpr: -QxW -Qipo -O3 +FDO ONESTEP=yes
176.gcc: -QxW -Qipo -Oi- -O3 +FDO ONESTEP=yes
181.mcf: -Oa -Qipo +FDO shlw32M.lib ONESTEP=yes
186.crafty: -QxW -Qipo -O3 +FDO ONESTEP=yes
197.parser: -QxW -Qipo -Oa -O3 +FDO ONESTEP=yes
252.eon: -QxW -Qipo -O3 +FDO shlw32M.lib ONESTEP=yes
253.perlbnk: -Qipo -Oa -O3 +FDO shlw32M.lib ONESTEP=yes
254.gap: -QxW -Qipo -O3 +FDO ONESTEP=yes
255.vortex: -QxW -Qipo -O3 +FDO ONESTEP=yes
256.bzip2: -Qunroll1 -Oa -Qipo +FDO ONESTEP=yes
```



# CINT2000 Result

Copyright ©1999-2004, Standard Performance Evaluation Corporation

Hewlett-Packard Company  
ProLiant BL20p G2(3.2GHz/1MB L3 cache, Intel Xeon)

SPECint2000 = 1321  
SPECint\_base2000 = 1242

SPEC license #: 3 | Tested by: Hewlett-Packard Company | Test date: Sep-2003 | Hardware Avail: Dec-2003 | Software Avail: Sep-2003

## Notes/Tuning Information (Continued)

300.twolf: -QxW -Qipo -O3 -Oa +FDO shlw32M.lib ONESTEP=yes  
BIOS Configuration Notes  
Hyper Threading disabled in BIOS