



CFP2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

IBM

IBM eServer BladeCenter HS20 (3.6 GHz Intel Xeon)

SPECfp2000 = 1777

SPECfp_base2000 = 1769

SPEC license #: 11 | Tested by: IBM, Research Triangle Park, NC | Test date: Apr-2005 | Hardware Avail: Feb-2005 | Software Avail: Oct-2004

Benchmark	Reference Time	Base Runtime	Base Ratio	Runtime	Ratio	1000	2000	3000	4000
168.wupwise	1600	62.7	2551	62.7	2551				
171.swim	3100	136	2272	136	2272				
172.mgrid	1800	118	1520	118	1520				
173.applu	2100	142	1478	143	1473				
177.mesa	1400	88.9	1576	88.9	1576				
178.galgel	2900	87.9	3301	87.9	3301				
179.art	2600	65.8	3953	65.8	3953				
183.quake	1300	67.0	1941	66.9	1942				
187.facerec	1900	105	1817	105	1817				
188.amp	2200	179	1231	172	1277				
189.lucas	2000	98.0	2040	97.2	2058				
191.fma3d	2100	144	1458	144	1458				
200.sixtrack	1100	169	650	167	660				
301.apsi	2600	198	1310	198	1310				

Hardware

CPU: Intel Xeon (3.6 GHz Xeon, 2MB L2 Cache, 800 MHz system bus)
CPU MHz: 3600
FPU: Integrated
CPU(s) enabled: 1 core, 1 chip, 1 core/chip (Hyper-Threading Technology disabled)
CPU(s) orderable: 1
Parallel: No
Primary Cache: 12K(I) micro-ops + 16KB(D) on chip
Secondary Cache: 2048KB(I+D) on chip
L3 Cache: N/A
Other Cache: N/A
Memory: 4x 2048 MB ECC PC2-3200 Dual Rank
Disk Subsystem: 73GB SCSI 10K RPM
Other Hardware:

Software

Operating System: Windows Server 2003 Standard Edition
Compiler: Intel C/C++ Compiler 8.1 (20041019Z)
Intel Fortran Compiler 8.1 (20040802Z)
Microsoft Visual Studio .NET 13.0.9466 (for libraries)
MicroQuill Smartheap Library 7.30
File System: NTFS
System State: Default

Notes/Tuning Information

GENERAL

ONESTEP=yes
+FDO: PASS1=-Qprof_gen PASS2=-Qprof_use

PORTABILITY

178.galgel: -FI /F32000000

BASE TUNING

C/F77/F90: -fast -QxP -Qansi_alias +FDO

PEAK TUNING

168.wupwise: basepeak=yes
171.swim: basepeak=yes
172.mgrid: basepeak=yes
173.applu: -fast -QxP -Qansi_alias -Qscalar_rep- -Qauto +FDO
177.mesa: basepeak=yes
178.galgel: basepeak=yes
179.art: basepeak=yes
183.quake: -fast -QxP -Qansi_alias -Oa -Qrcd +FDO
187.facerec: -fast -QxP -Qunroll1 -Qscalar_rep- +FDO



CFP2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

IBM

IBM eServer BladeCenter HS20 (3.6 GHz Intel Xeon)

SPECfp2000 = 1777

SPECfp_base2000 = 1769

SPEC license #: 11 | Tested by: IBM, Research Triangle Park, NC | Test date: Apr-2005 | Hardware Avail: Feb-2005 | Software Avail: Oct-2004

Notes/Tuning Information (Continued)

188. ammp: -Oa -QxP
189. lucas: -fast -QxP
191. fma3d: basepeak=yes
200. sixtrack: -QxP -Qipo +FDO
301. apsi: basepeak=yes