



CFP2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

Fujitsu Siemens Computers

PRIMERGY RX200 S2, Intel Xeon processor 3.20GHz, 2MB L2

SPECfp2000 = 1731

SPECfp_base2000 = 1731

SPEC license #: 22 Tested by: Fujitsu Siemens Computers Test date: Nov-2005 Hardware Avail: Oct-2005 Software Avail: Sep-2005

Benchmark	Reference Time	Base Runtime	Base Ratio	Runtime	Ratio	
168.wupwise	1600	65.4	2447	65.4	2447	
171.swim	3100	132	2351	132	2351	
172.mgrid	1800	130	1387	130	1387	
173.applu	2100	146	1434	146	1434	
177.mesa	1400	100	1398	100	1398	
178.galgel	2900	88.6	3272	88.6	3272	
179.art	2600	61.6	4219	61.6	4219	
183.earth	1300	50.0	2601	50.0	2601	
187.facerec	1900	109	1746	109	1746	
188.amp	2200	214	1028	214	1028	
189.lucas	2000	101	1972	101	1972	
191.fma3d	2100	152	1382	152	1382	
200.sixtrack	1100	173	635	173	635	
301.apsi	2600	214	1213	214	1213	

Hardware

CPU: Intel Xeon processor 3.20GHz, 2MB L2, 800MHz system bus
CPU MHz: 3200
FPU: Integrated
CPU(s) enabled: 1 core, 1 chip, 1 core/chip (Hyper-Threading Technology disabled)
CPU(s) orderable: 1,2
Parallel: No
Primary Cache: 12k micro-ops I + 16KBD on chip, per core
Secondary Cache: 2048KB(I+D) on chip, per core
L3 Cache: N/A
Other Cache: N/A
Memory: 8x512 MB DDRII-RAM PC2-3200R
Disk Subsystem: Seagate ST336753LC(U320 SCSI, 15krpm)
Other Hardware: none

Software

Operating System: Windows Server 2003 Enterprise Edition + SP1
Compiler: Intel C and Fortran Compiler 9.0 Build 20050722Z (for 32-bit applications)
Microsoft Visual Studio .Net 2003 7.1.3088 (for libraries)
SmartHeap Library Version 7.4 from <http://www.microquill.com>
File System: NTFS
System State: Default

Notes/Tuning Information

GENERAL

+FDO: PASS1=-Qprof_gen PASS2=-Qprof_use

Portability flags

178.galgel: -FI /F32000000

Base tuning flags

for Fortran programs: -fast -Qansi_alias +FDO shlW32M.lib
for C programs: -fast +FDO shlW32M.lib

Peak tuning flags

same as baseline (basepeak=true set globally)

New 32-bit Windows tools used, approved in May-2005

The system bus runs at 800 MHz



CFP2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

Fujitsu Siemens Computers

PRIMERGY RX200 S2, Intel Xeon processor 3.20GHz, 2MB L2

SPECfp2000 = 1731

SPECfp_base2000 = 1731

SPEC license #: 22 | Tested by: Fujitsu Siemens Computers | Test date: Nov-2005 | Hardware Avail: Oct-2005 | Software Avail: Sep-2005

Notes/Tuning Information (Continued)

This result was measured with 32-bit binaries using the 32-bit version of the operating system.

For information about Fujitsu Siemens Computers in your country please see:
<http://www.fujitsu-siemens.com/countries>