



# CINT2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

## Acer Incorporated

Acer Altos R520 (3.0 GHz Intel Xeon Processor 5160)

SPECint\_rate2000 = 62.0

SPECint\_rate\_base2000 = 61.9

SPEC license #: 97 Tested by: Acer Incorporated Test date: Jun-2006 Hardware Avail: Nov-2006 Software Avail: Mar-2006

Benchmark	Base Copies	Base Runtime	Base Ratio	Copies	Runtime	Ratio
164.gzip	2	77.4	42.0	2	77.4	42.0
175.vpr	2	74.1	43.8	2	73.0	44.5
176.gcc	2	39.4	64.8	2	39.4	64.8
181.mcf	2	76.4	54.6	2	76.4	54.6
186.crafty	2	36.5	63.5	2	36.5	63.5
197.parser	2	82.3	50.7	2	82.1	50.9
252.eon	2	33.6	89.7	2	33.3	90.7
253.perlbnk	2	52.2	80.1	2	52.5	79.6
254.gap	2	41.9	60.9	2	41.9	60.9
255.vortex	2	44.8	98.4	2	44.8	98.4
256.bzip2	2	78.5	44.4	2	78.6	44.3
300.twolf	2	88.4	78.7	2	88.4	78.7

### Hardware

CPU: Intel Xeon Processor 5160 (3.0 GHz, 4MB L2, 1333MHz system bus)  
CPU MHz: 3000  
FPU: Integrated  
CPU(s) enabled: 2 cores, 1 chip, 2 cores/chip  
CPU(s) orderable: 1,2  
Parallel: No  
Primary Cache: 32KB(I) + 32KB(D) on chip, per core  
Secondary Cache: 4096KB(I+D) on chip (per chip), shared  
L3 Cache: N/A  
Other Cache: N/A  
Memory: 8 x 2048MB ECC FB-DIMM DDR2-667  
Disk Subsystem: 1 x 73GB 10000RPM SAS HDD  
Other Hardware:

### Software

Operating System: Microsoft Windows Server 2003 Enterprise Edition (Build 3790), Service Pack 1  
Compiler: Intel C++ Compiler 9.1 Build 20060323Z for IA32  
Microsoft Visual Studio .Net 2003 (7.1.3091, for libraries)  
shlw32M.lib is SmartHeap Library Version 7.4 from http://www.microquill.com/  
File System: NTFS  
System State: Default

## Notes/Tuning Information

```
+FDO: PASS1=-Qprof_gen PASS2=-Qprof_use
Base tuning for C programs: -fast +FDO shlw32M.lib
Base tuning for C++ programs: -fast -Qcxx_features +FDO shlw32M.lib
Portability flags:
176.gcc: -Dalloca=_alloca /F10000000
186.crafty: -DNT_i386
253.perlbnk: -DSPEC_CPU2000_NTOS -DPERLDLL /MT
254.gap: -DSYS_HAS_CALLOC_PROTO -DSYS_HAS_MALLOC_PROTO
Peak tuning:
164.gzip: basepeak=yes
175.vpr: -fast -Qansi_alias +FDO
176.gcc: basepeak=yes
181.mcf: basepeak=yes
186.crafty: basepeak=yes
197.parser: -fast -Qansi_alias +FDO
252.eon: -fast +FDO
253.perlbnk: -fast -Qansi_alias +FDO shlw32M.lib
254.gap: basepeak=yes
255.vortex: basepeak=yes
256.bzip2: -fast -Oa -Qunroll1 +FDO
```



# CINT2000 Result

Copyright ©1999-2005, Standard Performance Evaluation Corporation

**Acer Incorporated**  
Acer Altos R520 (3.0 GHz Intel Xeon Processor 5160)

SPECint\_rate2000 = 62.0  
SPECint\_rate\_base2000 = 61.9

SPEC license #: 97 | Tested by: Acer Incorporated | Test date: Jun-2006 | Hardware Avail: Nov-2006 | Software Avail: Mar-2006

## Notes/Tuning Information (Continued)

300.twolf: -fast +FDO shlw32M.lib

This result was measured on the Acer Alto R720.  
The Altos R520 and Altos R720 are electronically equivalent.